



Westinghouse

INNOVATION YOU CAN BE SURE OF



Westinghouse
Electric Appliances

PRODUCT CATALOGUE

for North America

Westinghouse 130 years

Invention and Innovation

1846



George Westinghouse was born

1865



Westinghouse receives his first patent for a rotary steam engine

1869



Westinghouse patents the air brake, revolutionizing railroad safety

1869



Westinghouse Air Brake Company is founded

1923



Westinghouse pioneers the first international shortwave radio broadcast

1921



Westinghouse introduces the first factory-built radio receiver

1920




Westinghouse makes history with the first commercial radio broadcast in the country. Radio station KDKA begins operations

1917



Westinghouse introduces the first all-electric kitchen range

1916



Westinghouse introduces an innovative toaster that flips bread slices, toasting them evenly

1930



55,000 Westinghouse workers honor George Westinghouse by raising funds to build a memorial and garden in Pittsburgh's Schenley Park

1933



The world's fastest elevators are built for New York's Rockefeller Center

1937



Westinghouse Electric constructs the first atom smasher to explore the potential of nuclear energy as a practical power source

The Changing World

1939



Westinghouse makes an impression at the New York World's Fair with its Hall of Power and Elektro, the walking, talking robot

2002



Westinghouse works with NASA to develop the Eye Saver light bulb

2001



ENERGY STAR light bulbs, lighting fixtures and ceiling fans are introduced

1977



Westinghouse introduces the first airborne surveillance radar system

1969



Westinghouse cameras capture the first moonwalk for viewers back on earth

1968



Westinghouse introduces the first "Instant-On" Television



1871



Westinghouse Air Brake Company implements half-day Saturdays, a big step toward the five-day work week

1873



The automatic air brake is invented

1881



Westinghouse founds Union Switch and Signal Company to develop closed-track circuits and interlocking systems for railroads

1886



Westinghouse Electric Company is founded

1888



Nikola Tesla receives a patent for the first alternating current motor and comes to work for Westinghouse Electric Company

1914



Westinghouse acquires Copeman Electric Stove Company and enters the home appliance market

1914



George Westinghouse dies, leaving a legacy that includes 361 patents and the founding of 60 companies

1896



Westinghouse harnesses the power of Niagara Falls and builds the first hydroelectric power plant

The Years of Growth

1893



Westinghouse beats Thomas Edison for the contract to light the Chicago World's Fair with AC power and wins the "War of the Currents."

1939



Westinghouse hosts the Battle of the Centuries Dishwashing Contest to showcase its new dishwasher

1940s



Westinghouse supports the war effort on many fronts, including the creation of the famous "We Can Do It" poster

1941



Westinghouse begins producing power at Grand Coulee Dam

1946



The first electric clothes dryer is introduced

1950s




Westinghouse markets its appliance line with the Freedom Fair advertising campaign

1960



Paul Rand designs the Westinghouse logo

1954



Westinghouse launches its first color television

1954



The USS Nautilus, the world's first nuclear submarine, was launched with a reactor built by Westinghouse

1955



Westinghouse refrigerators account for 55% of the refrigerator market in the U.S.

The Modern Era



Our Promise

For more than a century, Westinghouse has consistently provided innovative, reliable, high-quality products and customer service. It's a combination of groundbreaking technology and rock-solid dependability that's made us one of the world's most trusted brands.

From outdoor portable generators that provide power for your home, work and play moments, to high-definition TVs that are setting new standards for performance, we're constantly developing advanced products, rigorously testing them to make sure they work time after time, day after day.

When you see the W, you know you're getting a product packed with features that make your life easier, while still being easy to use. A product that has all the latest thinking, while providing years of value.
Innovation You Can Be Sure Of.

From a company that always puts you first.



About Star Glory Ltd.

We specialize in the international distribution of residential small appliances, including kitchen electric appliances, environmental products, garment care products, personal care products, floor care products and non-electrical kitchen tools and gadgets. We've become a market leader by bringing tailor-made, competitively priced products quickly to market. Our global distribution network gives us the ability to take a fragmented product category and create streamlined retail programs.

®. WESTINGHOUSE, and INNOVATION YOU CAN BE SURE OF are trademarks of Westinghouse Electric Corporation, a USA company. Used under license by Star Glory Limited. All Rights Reserved.



Content

Collection

Marble Collection P.7

Breakfast

Coffee Makers P.11
 Coffee Grinders P.13
 Kettles P.13
 Juicers P.15
 Personal Blenders P.15
 Toasters P.17
 Sandwich Makers P.18
 Waffle Makers P.19

Food Preparation

Vacuum Blenders P.21
 Power Blenders P.23
 Soup Makers P.24
 Food Processors P.25
 Mini Choppers P.25
 Hand Blenders P.26
 Hand Mixers P.27
 Electric Knives P.27
 Can Openers P.28

Cooking

Air Fryers P.30
 Sous Vide P.33
 Pressure Cookers P.34
 Multi Cookers P.35
 Slow Cookers P.35
 Rice Cookers P.37
 Induction Cookers P.38
 Electric Grills P.39
 Toaster Ovens P.40
 Microwave Ovens P.41

Entertaining

Popcorn Makers P.45
 Wine Coolers P.47
 Wine Openers P.49

Home Care

Fans & Circulators P.51
 Electric Heaters P.57
 Vacuum Cleaners P.59



COLLECTION

The selected ranges bring innovation and practical to kitchens





GRIDDLE

19 inch electric griddle

Die cast aluminum grill plate with
marble nonstick coating

Adjustable temperature

Detachable heat control

Model: WKGL13206

Rating: 120V 60Hz, 1500W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
25.98*4.13*12.13 in 660*105*308 mm	4 pcs.	26.46*17.32*12.72 in 672*440*323 mm	1220 pcs. / 20'GP 2508 pcs. / 40'GP 2760 pcs. / 40'HC



GRILL MAKER

2 in 1 multi-grill & sandwich maker
Individual variable temperature controls for multi task use
Stainless steel housing for press grill
Marble nonstick coating plates

Model: WKCG364107

Rating: 120V 60Hz, 1500W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
20.39*6.02*13.39 in 518*153*340 mm	4 pcs.	23.94*20.47*13.98 in 608*520*355 mm	960 pcs. / 20'GP 1870 pcs. / 40'GP 2114 pcs. / 40'HC



RACLETTE GRILL

17 inch raclette electric grill
Includes 8 nonstick pans & 8 spatulas
Die cast aluminum plate with marble coating
Adjustable temperature

Model: WKGR09380

Rating: 120V 60Hz, 1200W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
18.9*6.97*14.65 in 480*177*372 mm	2 pcs.	19.37*14.49*15.24 in 492*368*387 mm	808 pcs. / 20'GP 1680 pcs. / 40'GP 1940 pcs. / 40'HC



WAFFLE MAKER

4 slices

Stainless steel housing and cool-touch handle

Adjustable browning levels

Power and Ready light indicators

Upright storage for easy store up

Marble nonstick coating plates



Model: WKWM227282

Rating: 120V 60Hz, 1200W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
10.75*5.2*13.98 in 273*132*355 mm	4 pcs.	21.3*11.34*15.35 in 541*288*390 mm	2048 pcs. / 20'GP 4224 pcs. / 40'GP 4752 pcs. / 40'HC

ELECTRIC WOK

11" die cast aluminum electric wok

Marble nonstick coated cooking surface

Adjustable temperature

Detachable heat control

Temperature selection from 176 °F to 446 °F

Cool touch handles

Dishwasher safe



Model: WKSK3010

Rating: 120V 60Hz, 1500W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
14.17*7.52*14.57 in 360*191*370 mm	2 pcs.	15.35*14.65*14.96 in 390*372*380 mm	950 pcs. / 20'GP 1850 pcs. / 40'GP 2196 pcs. / 40'HC

MARBLE COLLECTION



BREAKFAST

Make your morning routine
faster and tastier



Westinghouse

COFFEE MAKER

- 12 cup programmable coffee maker
- Auto-grinding function
- LCD screen
- Electronic control
- Brew strength selection
- PTC for controlling the warm temperature



Model: WKCM4266
Rating: 120V 60Hz, 950W
Certification: ETL, CETL
Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
14.33*10*18.35 in 364*254*466 mm	2 pcs.	29.92*10.79*10.79 in 760*274*274 mm	594 pcs. / 20'GP 1206 pcs. / 40'GP 1350 pcs. / 40'HC



Breakfast

COFFEE MAKERS

COFFEE MAKER

12 cup programmable coffee maker
 LCD screen
 Electronic control
 Keys with blue backlight
 Automatic shut off after warming for 2 hours
 Detachable funnel and removable filter basket
 1.8 L glass carafe

Model: WKCM4206

Rating: 120V 60Hz, 1000W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11*9.06*15.35 in 280*230*390 mm	4 pcs.	22.83*18.66*16.14 in 580*474*410 mm	1044 pcs. / 20'GP 2228 pcs. / 40'GP 2376 pcs. / 40'HC



COFFEE MAKER

10 cup coffee maker
 Pause feature
 Water level window
 Nonstick warming plate
 On / Off switch
 1.2 L glass carafe
 Removable permanent filter

Model: WKCM1133

Rating: 120V 60Hz, 850W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
9.45*8.27*12.99 in 240*210*330 mm	6 pcs.	25.39*19.49*13.78 in 645*495*350 mm	1500 pcs. / 20'GP 3180 pcs. / 40'GP 3720 pcs. / 40'HC



COFFEE GRINDER

4 grind selection from coarse to fine grind
Removable 8 oz bean hopper
Controlling knob with the capacity range
from 2 cups to 12 cups
Blue LED power switch

Model: WKCFG1421

Rating: 120V 60Hz, 150W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
7.8*5.2*10.71 in 198*132*272 mm	12 pcs.	16.54*16.34*22.44 in 420*415*570 mm	3360 pcs. / 20'GP 6960 pcs. / 40'GP 6960 pcs. / 40'HC



TEA KETTLE

1.7 L glass tea kettle
4 temperature settings: 58 °F, 176 °F, 194 °F, 212 °F
Stainless steel heating element
Removable tea infuser for convenient use
Blue illumination while boiling
Boil-dry protection & automatic shut-off
360° rotating base

Model: WKWK5802

Rating: 120V 60Hz, 1500W

Certification: Pending



Breakfast

COFFEE GRINDERS & TEA KETTLES

ELECTRIC KETTLE

1.7 L stainless steel kettle

Digital, electronic temperature control

6 warm settings: 104/122/140/158/176/194 °F
(40/50/60/70/80/90 °C)

External water gauge

360 ° swivel power base

Cordless serving

Strix control

Model: WKWK008

Rating: 120V 60Hz, 1500W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
8.66*6.69*9.25 in 220*170*235 mm	6 pcs.	20.67*9.25*19.49 in 525*235*495 mm	2472 pcs. / 20'GP 5080 pcs. / 40'GP 5840 pcs. / 40'HC

**ELECTRIC KETTLE**

1.7 L stainless steel kettle

Water level window

Auto shut off and boil dry protection

360 ° swivel power base

Cordless serving

Otter control

Model: WKWK1070

Rating: 120V 60Hz, 1500W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
8.66*6.69*9.25 in 220*170*235 mm	6 pcs.	20.67*9.25*19.49 in 525*235*495 mm	2472 pcs. / 20'GP 5080 pcs. / 40'GP 5840 pcs. / 40'HC



CITRUS JUICER

Two size cones to fit for different needs
Easy press ergonomic handle
Press to activate, easy to use
Anti-drip function
Anti-slip rubber feet

Model: WKJM401

Rating: 120V 60Hz, 85W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
7.36*7.36*11.73 in 187*187*298 mm	9 pcs.	22.68*22.68*12.52 in 576*576*318 mm	2520 pcs. / 20'GP 5040 pcs. / 40'GP 5760 pcs. / 40'HC



Breakfast

Mini Blender

Mini blender with 300 watt motor
Removable stainless steel blade
20 oz (600 mL) BPA free sport bottle, convenient for travel
Optional: 10 oz (300 mL) or 20 oz (600 mL) bottle

Model: WKBE631

Rating: 120V 60Hz, 300W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
9.25*6.02*9.84 in 235*153*250 mm	8 pcs.	20.67*14.17*22.24 in 525*360*565 mm	2848 pcs. / 20'GP 5760 pcs. / 40'GP 7200 pcs. / 40'HC



JUICERS AND BLENDERS



BLENDER

Powerful 1000 W motor provides superior blending
3 programmes (On / Blend / Pulse) for your choice of
ice crushing, mixing & blending;

Includes a stainless steel cross blade, a 20-oz Tritan
cup, a 23-oz Tritan cup, a flip top to-go cup lid & a
regular cup lid

Cross blade (6 blades) design offers consistency
blending performance

Model: WKBE2301

Rating: 120V 60Hz, 1000W

Certification: UL, CUL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
12.4*7.48*14.33 in 315*190*364 mm	2 pcs.	15.55*12.8*15.16 in 395*325*385 mm	1190 pcs. / 20'GP 2450 pcs. / 40'GP 2820 pcs. / 40'HC



SMOOTHIE BLENDER

250 W motor

20 oz (600 mL) sport bottle with travel lid

20 oz (600 mL) plastic blending jar

BPA free bottle and jar

The jars and lids are dishwasher-safe

Easy operation press on button

Safety lock system

Model: WKBE09

Rating: 120V 60Hz, 250W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
9.06*6.3*9.45 in 230*160*240 mm	12 pcs.	19.49*19.49*18.9 in 495*495*480 mm	3060 pcs. / 20'GP 6120 pcs. / 40'GP 7140 pcs. / 40'HC



TOASTER

- 2 slices
- Stainless steel housing
- Cancel, reheat, defrost and bagel functions
- Adjustable 6 level browning control
- Wide slots with centering guides
- Automatic pop-up and anti-jam functions
- Blue light indicators
- Slide out crumb tray
- Cord storage

Model: WKTT009
 Rating: 120V 60Hz, 850W
 Certification: ETL, CETL
 Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
12.01*8.07*8.27 in 305*205*210 mm	4 pcs.	16.54*12*18.5 in 420*305*470 mm	1752 pcs. / 20'GP 3576 pcs. / 40'GP 4098 pcs. / 40'HC



TOASTER

- 4 slices
- Stainless steel housing
- Cancel, reheat, defrost and bagel functions
- Adjustable 6 level browning control
- Wide slots with centering guides
- Automatic pop-up and anti-jam functions
- Blue light indicators
- Slide out crumb tray
- Cord storage

Model: WKTT010
 Rating: 120V 60Hz, 1500W
 Certification: ETL, CETL
 Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
12.99*11.42*8.86 in 330*290*225 mm	4 pcs.	23.62*13.58*18.5 in 600*345*470 mm	1060 pcs. / 20'GP 2300 pcs. / 40'GP 2568 pcs. / 40'HC



SANDWICH MAKER

2 slices

Stand upright for compact storage

Power On (red) & Ready (green) lights

Thermal cut-out safety protect

Nonstick coated plates

Optional grill plates



Model: WKSM021

Rating: 120V 60Hz, 750W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.02*4.25*10.16 in 280*108*258 mm	6 pcs.	13.23*11.38*20.71 in 336*289*526 mm	3540 pcs. / 20'GP 6900 pcs. / 40'GP 8040 pcs. / 40'HC

SANDWICH MAKER

Stand upright for compact storage

Power On (red) & Ready (green) lights

Thermal cut-out safety protect

Model: WKSM09

Rating: 120V 60Hz, 750W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
9.84*4.02*9.45 250*102*240mm	6 pcs.	20.28*12.8*10.04 in 515*325*255 mm	3900 pcs. / 20'GP 7800 pcs. / 40'GP 9488 pcs. / 40'HC



WAFFLE MAKER

- Stand upright for compact storage
- Indicator light
- Thermal cut-out safety protect
- Nonstick coated plates



**WAFFLE
MAKER**
WKWM012



**WAFFLE BOWL
MAKER**
WKWM125



**MINI WAFFLE
BOWL MAKER**
WKWM126

Model: WKWM012 / WKWM125 / WKWM126
 Rating: 120V 60Hz, 520W
 Certification: ETL, CETL
 Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
6.77*4.17*9.41 in 172*106*239 mm	4 pcs.	17.36*7.09*10.2 in 441*180*259 mm	5400 pcs. / 20'GP 11160 pcs. / 40'GP 12600 pcs. / 40'HC

WAFFLE MAKER

- Stand upright for compact storage
- Power On (red) & Ready (green) lights
- Browning selection from 1 to 10
- Thermal cut-out safety protect
- Nonstick coated plates

Model: WKWM007
 Rating: 120V 60Hz, 900W
 Certification: ETL
 Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
8.27*5.12*10.63 in 210*130*270 mm	4 pcs.	21.06*8.66*11.22 in 535*220*285 mm	3200 pcs. / 20'GP 6600 pcs. / 40'GP 7760 pcs. / 40'HC



WAFFLE MAKERS



FOOD PREPARATION

Everything you need to make
home cooking easy and efficient



Westinghouse



VACUUM POWER BLENDER

Powerful 1200 W, 30000 rpm motor

8 pre-set programs : Vacuum / Juice / Puree / Batters / Ice Cream / Smoothie / Blending / Cleaning

10 speed control

Patented automatic vacuum seal, keep juice fresh and nutrition in vacuum; avoid oxidize and overflow

67 oz (2 L) Tritan BPA free jar

6 point stainless steel blade

Ice crushing technology

Easy operation

Model: WKBV12

Rating: 120V 60Hz, 1200W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
13.39*10.55*18.62 in 340*268*473 mm	1 pc	13.98*11.14*19.41 in 355*283*493 mm	570 pcs. / 20'GP 1160 pcs. / 40'GP 1355 pcs. / 40'HC



Food
Preparation

VACUUM BLENDERS



MINI VACUUM BLENDER

Mini size vacuum blender, compact to store
Keep juice fresher & nutritive up to 10 hours
Avoids layering, foaming & discoloration
5 settings: Vacuum / Vacuum Blend / Blend / Crush / Smoothie
20 oz (600 mL) blending cup
Easy to use and convenient to clean

Model: WKBV3222

Rating: 120V 60Hz, 300W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
14.96*9.06*12.6 in 380*230*320 mm	4 pcs.	18.7*12.95*25.59 in 475*329*650 mm	1842 pcs. / 20'GP 3858 pcs. / 40'GP 4200 pcs. / 40'HC



SILENT VACUUM BLENDER

Vacuum seal keeps juice fresh and nutrition
32 oz (1 L) Tritan BPA free jar
Digital touch operation panel with LED screen
5 settings: High / Low / Pulse / Pre-programmed Juice / Smoothie
Automatic vacuum seal keeps juice fresh and nutrition and avoid oxidation
Stainless-steel blade;
Low noise operation (approx. 70 db/m)

Model: WKBE19

Rating: 120V 60Hz, 800W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
12.87*10.24*19.29 in 372*260*490 mm	1 pc	13.46*10.83*20.08 in 342*275*510 mm	580 pcs. / 20'GP 1210 pcs. / 40'GP 1415 pcs. / 40'HC



POWER BLENDER

Powerful 1400 W, 32000 rpm motor
Variable speed control with Pulse
3 pre-programmed settings: Smoothies
/ Ice / Sauce)
Hall effort sensor technology system on
motor make performance much stable
and lasts longer
10 minute auto shut-off safety system
Blue LED indicator
67 oz (2 L) BPA free Tritan blending Jar
Stainless steel blades



Model: WKBE26
Rating: 120V 60Hz, 1400W
Certification: ETL, CETL
Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
16.73*10.83*12.6 in 425*275*320 mm	2 pcs.	22.36*16.93*13.31 in 568*430*338 mm	716 pcs. / 20'GP 1432 pcs. / 40'GP 1656 pcs. / 40'HC



SOUP MAKER

2 in 1 - blender and soup maker

6 pre-set programmes

8 adjustable speeds

Glass jar

Working capacity: 59 oz (blending), 47 oz (hot soup)

6 plane design stainless steel blade

Accessories include a cleaning brush, a mixing bar & a measuring cup

Model: WKS0701

Rating: 120V 60Hz, 1200W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.42*9.84*21.46 in 290*250*545 mm	2 pcs.	20.67*11.81*22.44 in 525*300*570 mm	640 pcs. / 20'GP 1280 pcs. / 40'GP 1500 pcs. / 40'HC

**SOUP MAKER**

2 in 1 - blender and soup maker

6 pre-set programmes

8 adjustable speeds

Glass jar

Working capacity: 59 oz (blending), 47 oz (hot soup)

6 plane design stainless steel blade

Accessories include a cleaning brush, a mixing bar & a measuring cup

Model: WKS0706

Rating: 120V 60Hz, 1200W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.42*9.84*21.46 in 290*250*545 mm	2 pcs.	20.67*11.81*22.44 in 525*300*570 mm	640 pcs. / 20'GP 1280 pcs. / 40'GP 1500 pcs. / 40'HC



FOOD PROCESSOR

Powerful 800 W motor
2 speed plus Pulse control
Switch with blue light indicator
Includes a 12 cup (2.8 L) food processor bowl, a 50 oz (1.5 L) blending jar, a stainless steel blade, a stainless steel reversible slicing/shredding disc, a dough blade and an emulsifying disc
Easy to assemble and use

Model: WKFP7730

Rating: 120V 60Hz, 800W

Certification: UL, CUL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
16.54*9.25*14.57 in 420*235*370 mm	2 pcs.	19.1*17.13*15.24 in 485*435*387 mm	590 pcs. / 20'GP 1240 pcs. / 40'GP 1488 pcs. / 40'HC



Food
Preparation

MINI CHOPPER

3 cup (700 mL) capacity
Mixing bowl with handle for easy grip
Double safety lock
2 speed with Pulse rotary switch
Chopping blade in stainless steel
Anti-slip rubber feet

Model: WKMC4418

Rating: 120V 60Hz, 300W

Certification: UL, CUL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
6.5*6.3*11.42 in 165*160*290 mm	6 pcs.	19.53*13.58*12.13 in 496*345*308 mm	3840 pcs. / 20'GP 7860 pcs. / 40'GP 8280 pcs. / 40'HC



FOOD PROCESSORS



HAND BLENDER

3 in 1 immersion hand blender with 350 W motor

Includes a 2 cup (500 mL) chopper, a 27 oz (800 mL) blending cup & a whisk attachment

Rotary variable speed plus Level I & II push button for different speed choices

Stainless steel rod and blades

Chrome plated panel

Easy to use and clean

Model: WKHB2230

Rating: 120V 60Hz, 350W

Certification: UL, CUL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.42*6.54*11.97 in 290*166*304 mm	2 pcs.	23.43*13.66*12.76 in 595*347*324 mm	1536 pcs. / 20'GP 3168 pcs. / 40'GP 3696 pcs. / 40'HC



HAND BLENDER

Powerful silent 500 W motor

Variable speed switch plus Level I & II push button for different speed choices

Stainless steel rod and blades

Detachable attachment for easy cleaning and is dishwasher safe

Model: WKHB10

Rating: 120V 60Hz, 500W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
15.63*2.56*2.56 in 397*65*65 mm	30 pcs.	16.22*13.39*16.14 in 412*340*410 mm	15660 pcs. / 20'GP 31320 pcs. / 40'GP 36540 pcs. / 40'HC



HAND MIXER

300 W motor
6 speeds plus Turbo
Includes 1 set of beaters & 1 set of dough hooks
Easy to assemble and use

Model: WKHM42831
Rating: 120V 60Hz, 300W
Certification: Pending
Packing:

Gift box dimension (in/mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
8.94*5.12*7.09 in 227*130*180 mm	6 pcs.	16.06*9.41*14.88 in 408*239*378 mm	4728 pcs. / 20'GP 9684 pcs. / 40'GP 10818 pcs. / 40'HC



Food
Preparation

ELECTRIC KNIFE

A combo set with 1 set of stainless steel blades,
1 carving fork and 1 storage box
Storage box for neatly store the set in kitchen
Detachable blades are dishwasher safe
Easy operation

Model: WKEK15411
Rating: 120V 60Hz, 120W
Certification: ETL, CETL
Packing:

Gift box dimension (in/mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
10.51*7.28*12.8 in 267*185*325 mm	12 pcs.	23.03*21.85*26.77 in 585*555*680 mm	8856 pcs. / 20'GP 19008 pcs. / 40'GP 22320 pcs. / 40'HC



MIXERS & KNIVES



CAN OPENER

3 in 1 - can opener, bottle opener and knife sharpener

Automatically opens small, large and tall cans

Magnetic lid holder

Compartment for cord storage

Model: WKCO502

Rating: 120V 60Hz, 70W

Certification: UL, CUL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
4.53*4.53*9.45 in 115*115*240 mm	12 pcs.	28.94*10.04*10.43 in 735*255*265 mm	6500 pcs. / 20'GP 14200 pcs. / 40'GP 16800 pcs. / 40'HC



CAN OPENER

3 in 1 - can opener, bottle opener and knife sharpener

Opens pop top and regular cans

Simple and easy to use

Ceramic knife sharpener blade

Cord storage

Model: WKCO818

Rating: 120V 60Hz, 80W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
6.01*6.01*10.83 in 155*155*275 mm	8 pcs.	12.8*12.8*22.44 in 325*325*570 mm	3600 pcs. / 20'GP 7600 pcs. / 40'GP 8900 pcs. / 40'HC



COOKING

Having these are not a luxury
but a necessity





AIR FRYER

10 qt. (9.5 L) aluminum inner chamber with rotisserie function for a whole chicken

Digital screen with touch control

Viewing window allows monitoring the cooking process

Adjustable temperature from 149 °F to 392 °F (65 °C - 200 °C)

6 preset programmes: Bake, Beef, Chips, Fish, Chicken & Toast

60 minute timer

Upper and lower baskets to fry different foods at one time

Accessories: 1 tray, 2 baskets, 1 chicken Fork and 1 cage handle



Hinged door design



Includes 2 frying baskets



Hot air circulation + rotisserie function

Model: WKAF1610

Rating: 120V 60Hz, 1600W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
13.94*13.62*15.35 in 354*346*390 mm	1 pc.	14.29*13.98*15.94 in 363*355*405 mm	480 pcs. / 20'GP 990 pcs. / 40'GP 1152 pcs. / 40'HC



AIR FRYER

3.7 qt (3.5 L) capacity

Adjustable temperature from 176 °F
to 392 °F (80 °C - 200 °C)

30 minute timer

Simple operation

Model: WKAF05

Rating: 120V 60Hz, 1400W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
13.58*13.58*13.19 in 345*345*335 mm	2 pcs.	27.95*13.98*13.98 in 710*355*355 mm	576 pcs. / 20'GP 1220 pcs. / 40'GP 1428 pcs. / 40'HC



AIR FRYER

5.8 qt (5.5 L) capacity

Surrounding cooking system - wind guide
fan on bottom

Control panel digital display

Multi-function for fry, bake, grill & roast

Adjustable time and temperature

6 preset programmes: French fries, Chicken
leg, Fish, Steaks/Chops, Shrimp & Baking

Temperature setting from 180 °F to 400 °F
(80 °C to 200 °C)

Model: WKAF61

Rating: 120V 60Hz, 1700W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
15.59*12.68*15.43 in 396*322*392 mm	1 pc.	16.18*13.27*17.4 in 411*337*442 mm	550 pcs. / 20'GP 1125 pcs. / 40'GP 1236 pcs. / 40'HC



Cooking

AIR FRYERS



AIR FRYER

6.3 qt. (6 L) capacity

Smart touch display offers easy operation of temperature and cooking time

Cooking freewheeling with 8 preset menus, bake, roast, air fryer in an easy to use design and easy clean up with cooling function preset

8 pre-set programmes: Chips, Chicken, Potato, Fish, Cake, Shrimp, Ribs & Unfreeze

Non-slip feet

Overheat protection

Model: WKAF10

Rating: 120V 60Hz, 1700W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
14.37*14.37*14.96 in 365*316*346 mm	1 pc.	14.96*14.96*15.75 in 380*380*400 mm	450 pcs. / 20'GP 930 pcs. / 40'GP 1080 pcs. / 40'HC



COOKING MACHINE

1200 W multi-functional food preparation machine

Allows to chop, mix, whip, knead, blend stir & steam

7 pre-set programs: Soup / Soft Jam / Hard Jam / Sauce / Cake / Bread / Steamer

Temperature range from 86 °F to 248 °F
(30 °C - 120 °C)

Adjustable time and speed

12 cup (3 L) stainless steel bowl

Accessories: steam basket, butterfly, blade guard, food steamer & spatula

Model: WKCC6589

Rating: 120V 60Hz, 1200W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
17.24*16.06*16.73 in 438*408*425 mm	1 pc.	18.19*16.85*17.87 in 462*428*454 mm	325 pcs. / 20'GP 675 pcs. / 40'GP 790 pcs. / 40'HC



SOUS VIDE

Temperature range of 32-203 °F (0-95 °C)
 Digital display for simple set up and monitoring
 Thumb wheel control for temperature and time settings
 Delayed start and cooking time options up to 100 hours
 Durable PTC heating element controls temperature accuracy
 Clamps easily to virtually any container up to 10.5 qt. (10 L) capacity
 Great for meat, poultry, seafood and vegetables

Model: WKSV8001

Rating: 120V 60Hz, 1000W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
8.07*4.53*17.44 in 205*115*443 mm	4 pcs.	18.03*8.66*18.9 in 458*220*480 mm	2315 pcs. / 20'GP 4796 pcs. / 40'GP 5624 pcs. / 40'HC



SOUS VIDE

Digital Sous Vide cooker
 Temperature range from 77 °F to 203 °F (25 °C - 95 °C)
 Time setting up to 99 hours
 Comply with IPX7 water proof standard
 Clamps easily to virtually any container up to 15.8 qt. (15 L) capacity
 Bring professional restaurant cooking technology home

Model: WKSV1710

Rating: 120V 60Hz, 1000W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
6.38*3.7*17.05 in 162*94*433 mm	8 pcs.	15.43*13.31*17.83 in 392*338*453 mm	3720 pcs. / 20'GP 7440 pcs. / 40'GP 8960 pcs. / 40'HC



Cooking

SOUS VIDE STICKS



PRESSURE COOKER

6 qt. (6 L) multi-functional pressure cooker
Brown Saute, Yogurt, Slow Cook, Rice, Delay & Warm functions
9 preset settings: Pot Roast, Ribs, Chili/Stew, Soup, White Rice, Brown Rice, Beans, Eggs and Whole Chicken
10 safety protection devices
Aluminum cooking pot with non-stick coating for easy cleaning
Accessories: measuring cup & spoon

Model: WKPC29

Rating: 120V 60Hz, 1000W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
13.78*13.19*15.35 in 350*335*390 mm	n/a	n/a Gift box with shrink wrap	480 pcs. / 20'GP 960 pcs. / 40'GP 1152 pcs. / 40'HC



PRESSURE COOKER

6 qt. (6 L) multi-functional pressure cooker
Saute, Yogurt, Slow Cook, Rice, Delay Start & Warm functions
11 preset settings: Fruit, Soup/Broth, Multi-grain, Cake, Fish, Beans/Chili, Meat/Stew, Poultry, Egg, Steam, Sterilize
11 safety protection devices
Aluminum cooking pot with non-stick coating for easy cleaning
Accessories: measuring cup & spoon

Model: WKPC606

Rating: 120V 60Hz, 1000W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
12.4*12.4*14.57 in 315*315*370 mm	1 pc.	TBC	680 pcs. / 20'GP 1400 pcs. / 40'GP 1500 pcs. / 40'HC



MULTI COOKER

6 qt. (5.6 L) 11 in 1 Programmable Multi-Cooker

11 cooking functions: Slow Cook, Bake, Saute, Roast Oven, Sous Vide, Yogurt, Warm, Rice Cook, Stew, Fryer and Steam

Removable aluminum inner pot, with Whitford double layer water-based non-stick coating and is dishwasher safe

Transparent tempered glass lid

Includes 1 steam rack



Model: WKMFC605

Rating: 120V 60Hz, 1350W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
20.47*10.43*14.76 in 520*265*375 mm	1 pc.	20.87*10.83*15.16 in 530*275*385 mm	500 pcs. / 20'GP 1035 pcs. / 40'GP 1215 pcs. / 40'HC

SLOW COOKER

6.8 qt. (6.5 L) digital slow cooker

Removable ceramic inner pot

Hinged glass lid

Stainless steel housing

Programmable High, Low and Warm setting for up to 24 hours

Digital control panel



Model: WKSC65

Rating: 120V 60Hz, 270W

Certification: UL, CUL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
15.59*11.65*15.08 in 396*296*383 mm	n/a	n/a Gift box with shrink wrap	620 pcs. / 20'GP 1270 pcs. / 40'GP 1315 pcs. / 40'HC

Cooking

COOKERS



2 POT SLOW COOKER

2 x 2.5 qt. (2.5 L) removable pots

Tempered glass lids

Lid holders conveniently keep lids propped up whilst serving foods

High, low and warm functions



Model: WKSC1849

Rating: 120V 60Hz, 270W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
20.08*8.58*13.78 in 510*218*350 mm	1 pc.	20.67*9.17*14.76 in 525*233*375 mm	588 pcs. / 20'GP 1242 pcs. / 40'GP 1482 pcs. / 40'HC

3 POT SLOW COOKER

3 x 2.5 qt. (2.5 L) removable pots

Tempered glass lids

Lid holders conveniently keep lids propped up whilst serving foods

High, low and warm functions



Model: WKSC1110

Rating: 120V 60Hz, 405W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
28.5*8.58*13.82 in 724*218*351 mm	1 pc.	29.09*9.17*14.8 in 739*233*376 mm	417 pcs. / 20'GP 880 pcs. / 40'GP 1051 pcs. / 40'HC



RICE COOKER

5 cup (1 L) capacity
Cook & warm functions
Tempered glass lid
One touch operation
Nonstick coated inner pot
Accessories: measuring cup & spoon

Model: WKRCH5
Rating: 120V 60Hz, 400W
Certification: UL
Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
9.45*9.45*7.8 in 240*240*198 mm	4 pcs.	19.69*10.12*16.93 in 500*257*430 mm	2116 pcs. / 20'GP 4364 pcs. / 40'GP 5140 pcs. / 40'HC



RICE COOKER

Cook & warm functions
Dual covers
One touch operation
Nonstick coated inner pot
Accessories: measuring cup & spoon

Model: WKRCT100 / WKRCT180
Rating: 120V 60Hz, 400W
Certification: UL
Packing:

Model	Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
WKRCT100	9.53*9.53*9.92 in 242*242*252 mm	6 pcs.	29.53*10.04*19.88 in 750*255*505 mm	1824 pcs. / 20'GP 3648 pcs. / 40'GP 4290 pcs. / 40'HC
WKRCT180	11.89*11.89*12.4 in 302*302*315 mm	4 pcs.	24.8*12.4*25.79 in 630*315*655 mm	864 pcs. / 20'GP 1764 pcs. / 40'GP 2052 pcs. / 40'HC



WKRCT100
5 cups / 1 L

WKRCT180
10 cups / 1.8 L



INDUCTION COOKER

1800 W portable induction cooker

Vitro ceramic glass

9 power levels from 200 - 1800 watts; 10 temperature range from 140 - 464 °F (60 - 240 °C)

Built-in count-down digital timer for 5-180 mins

Auto voltage adjustment

Auto detection of pot

Auto switch off

Child lock

Model: WKIC18K36

Rating: 120V 60Hz, 1800W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
12.6*3.54*16.26 in 320*90*413 mm	5 pcs.	18.5*13.39*17.05 in 470*340*433 mm	2000 pcs. / 20'GP 4200 pcs. / 40'GP 5000 pcs. / 40'HC



INDUCTION COOKER

1800 W portable induction cooker

Black crystal plate

8 level temperature 140 - 464 °F (60 - 240 °C) & power adjustment

240 minute timer

Over heat protection, over voltage protection, current protection

Auto switch off

Child lock

Model: WKICA58

Rating: 120V 60Hz, 1800W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
14.09*3.66*17.01 in 358*93*432 mm	6 pcs.	22.76*14.69*17.6 in 578*373*447 mm	1713 pcs. / 20'GP 4205 pcs. / 40'HC



INDUCTION COOKER

Portable dual burner power sharing induction cooktop

1800 W power share - max power for each side is 1600 W

11 level temperature setting from 150 - 450 °F (65 - 252 °C)

150 minute timer

2 pieces of 11" x 11" glass plates

3 digit LED display



Model: WKIC2F1

Rating: 120V 60Hz, 1800W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
27.17*17.13*5.31 in 690*435*135 mm	2 pcs.	27.76*17.72*11.42 in 705*450*290 mm	616 pcs. / 20'GP 1232 pcs. / 40' GP 1460 pcs. / 40'HC

CERAMIC GLASS GRILL COOKER

2 in 1 ceramic glass grill cooker

Infrared heating technology

Adjustable power levels and temperature

Stove function choose to heat inner stove or outer stove

Separate Teppanyaki plate for Teppanyaki, Korea Grill & BBQ

LED indication and touch glass pane

Automatic shut off

Model: WKGL658

Rating: 120V 50Hz, 2000W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
19.49*6.69*17.91 in 495*170*455 mm	2 pcs.	20.08*14.25*18.98 in 510*362*482 mm	624 pcs. / 20'GP 1328 pcs. / 40' GP 1434 pcs. / 40'HC

Separate plate for grilling



Cooking

COOKTOPS



TOASTER OVEN

4 slice (10 L) capacity
 Broil, bake & toast cooking functions
 30 minute timer with stay-on option
 2 quartz tube heating elements
 Accessories: baking pan, wire rack, crumb tray

Model: WKTOCK10S
 Rating: 120V 60Hz, 600W
 Certification: UL, CUL
 Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
16.73*11.46*11.26 in 425*291*286 mm	n/a	n/a Gift box with shrink wrap	684 pcs. / 20'GP 1420 pcs. / 40' GP 1600 pcs. / 40'HC



TOASTER OVEN

6 slice (23 L) capacity
 Upper heat / lower heat / upper & lower heat
 settings
 60 minute timer with bell ring
 Temperature selection from 150 °F to 450 °F
 (65 °C - 230 °C)
 Accessories: baking pan, tray handle & wire rack

Model: WKTOGH23
 Rating: 120V 60Hz, 1500W
 Certification: ETL, CETL
 Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
19.88*14.76*12.8 in 505*375*325 mm	n/a	n/a Gift box with shrink wrap	490 pcs. / 20'GP 1000 pcs. / 40' GP 1140 pcs. / 40'HC



TOASTER OVEN

42 L capacity

Rotary switch for rotisserie and convection

Upper heat / lower heat / upper & lower heat settings

60 minute timer with bell

Temperature selection from 150 °F to 450 °F (65 °C - 230 °C)

Accessories: baking pan, tray handle, wire rack & crumb tray

Model: WKGH45

Rating: 120V 60Hz, 1600W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
23.23*17.05*16.34 in 590*433*415 mm	n/a	n/a Gift box with shrink wrap	275 pcs. / 20'GP 570 pcs. / 40' GP 675 pcs. / 40'HC



MICROWAVE OVEN

0.7 cubic ft. (20 L) countertop microwave oven

Digital controls with LED screen

10 power settings

6 one-touch quick cook menus for potato, popcorn, pizza, beverage, frozen food & reheat

Weight & speed defrost

Digital clock / timer

Add 30 seconds quick setting option

Child / safety lock

Stainless steel front, black cabinet

Model: WKMWP70B20

Rating: 120V 60Hz, 700W

Certification: UL, CUL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
n/a	1 pc.	20.94*15.75*12.91 in	990 pcs. / 40'HC



Cooking

OVENS



MICROWAVE OVEN

0.9 cubic ft. (23 L) countertop microwave oven
 Digital controls with LED screen
 10 power settings
 6 one-touch quick cook menus for potato, popcorn, pizza, beverage, frozen food & reheat
 Weight & speed defrost
 Digital clock / timer
 Add 30 seconds quick setting option
 Child / safety lock
 Stainless steel front, black cabinet

Model: WKMWP90D23

Rating: 120V 60Hz, 900W

Certification: UL, CUL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
n/a	1 pc.	22.2*17.09*14.25 in	777 pcs. / 40'HC

**MICROWAVE OVEN**

1.1 cubic ft. (30 L) countertop microwave oven
 Digital controls with LED screen
 10 power settings
 9 one-touch quick cook menus for popcorn, potato, pizza, beverage, frozen food, reheat, fresh vegetable, frozen vegetable, soup
 Weight & speed defrost
 Digital clock / timer
 Add 30 seconds quick setting option
 Child / safety lock
 Stainless steel front, black cabinet

Model: WKMWP100N30

Rating: 120V 60Hz, 1000W

Certification: UL, CUL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
n/a	1 pc.	25.12*19.21*14.41 in	588 pcs. / 40'HC





MICROWAVE OVEN

1.4 cubic ft. (38 L) countertop microwave oven

Digital controls with LED screen

10 power settings

9 one-touch quick cook menus: popcorn, potato, pizza, beverage, reheat, frozen food, fresh vegetable, frozen vegetable, soup

Weight & speed defrost

Cook by weight

Minute plus option

Digital clock / timer

Child / safety lock

Stainless steel front, black cabinet

Model: P100N38

Rating: 120V 60Hz, 1000W

Certification: UL, CUL



MICROWAVE OVEN

1.6 cubic ft. (43 L) countertop microwave oven

Digital controls with LED screen

10 power settings

9 one-touch quick cook menus: popcorn, potato, pizza, beverage, reheat, frozen food, fresh vegetable, frozen vegetable, soup

Weight & speed defrost

Cook by weight

Minute plus option

Digital clock / timer

Child / safety lock

Stainless steel front, black cabinet

Model: P100N43

Rating: 120V 60Hz, 1000W

Certification: UL, CUL

Cooking



OVENS

ENTERTAINING

Equips you with the must-have products
for your enjoyable moment

Entertaining





POPCORN MAKER

2 oz kettle popcorn maker
 Pops up to 8 cups (2 L) of popcorn
 Accessories: kernel measuring cup
 & oil measuring spoon

Model: WKPM3400
 Rating: 120V 60Hz, 310W
 Certification: ETL, CETL
 Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
13.19*11.22*18.78 in 335*285*477 mm	2 pcs.	27.17*11.61*19.29 in 690*295*490 mm	560 pcs. / 20'GP 1180 pcs. / 40' GP 1360 pcs. / 40'HC

Entertaining



POPCORN MAKER

Hot air oil free propping
 Make popcorn in 3 minutes
 Compact size

Model: WKPM1300

Rating: 120V 60Hz, 900W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
8.66*6.89*11.22 in 220*175*285 mm	6 pcs.	21.26*9.06*23.03 in 540*230*585 mm	2370 pcs. / 20'GP 4770 pcs. / 40' GP 5430 pcs. / 40'HC

**POPCORN MAKER**

Popcorn popper machine with
 stirring rod
 24 cup capacity
 Motorized stir rod for better
 popping

Model: WKPM906

Rating: 120V 60Hz, 800W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
13.19*7.68*13.19 in 335*195*335 mm	4 pcs.	27.17*15.94*13.98 in 690*405*355 mm	1108 pcs. / 20'GP 2320 pcs. / 40' GP 2720 pcs. / 40'HC





WINE COOLERS



WINE COOLER

12 bottle wine cooler

Thermoelectric cooling

2 layer glass door design

Adjustable temperature control

Temperature range from 54 °F - 66 °F

Touch controls with LED screen

Model: WKWC33

Rating: 120V 60Hz, 50W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.89*26.38*22.13 in 302*670*562 mm	n/a	n/a	262 pcs. / 20'GP 550 pcs. / 40' GP 625 pcs. / 40'HC

Entertaining



WINE COOLER

6 bottle wine cooler
 Thermoelectric cooling
 2 layer glass door design
 Adjustable temperature control
 Temperature range from 46 °F - 66 °F
 Touch controls with LED screen

Model: WKWC16

Rating: 120V 60Hz, 50W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.89*16.54*22.13 in 302*420*562 mm	n/a	n/a	403 pcs. / 20'GP 881 pcs. / 40'GP 986 pcs. / 40'HC

**WINE COOLER**

8 bottle wine cooler
 Thermoelectric cooling
 2 layer glass door design
 Adjustable temperature control
 Temperature range from 46 °F - 66 °F
 Touch controls with LED screen

Model: WKWC23

Rating: 120V 60Hz, 50W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.89*20.08*22.13 in 302*510*562 mm	n/a	n/a	327 pcs. / 20'GP 715 pcs. / 40'GP 807 pcs. / 40'HC



WINE COOLER

10 bottle wine cooler
 Thermoelectric cooling
 2 layer glass door design
 Adjustable temperature control
 Temperature range from 54 °F - 66 °F
 Touch controls with LED screen

Model: WKWC26

Rating: 120V 60Hz, 50W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.89*23.23*22.13 in 302*590*562 mm	n/a	n/a	294 pcs. / 20'GP 614 pcs. / 40' GP 701 pcs. / 40'HC

**RECHARGEABLE WINE OPENER**

Cordless electric wine bottle opener
 Built-in NiMH rechargeable battery opens up to
 30 bottles on a single charge
 Recharging/storing base
 A foil cutter is included

Model: WKWO36

Certification: UL (adaptor)

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
5.31*5.12*14.17 in 135*130*360 mm	10 pcs.	26.77*14.76*11.3 in 680*375*287 mm	3830 pcs. / 20'GP 7660 pcs. / 40' GP 8600 pcs. / 40'HC





HOME APPLIANCES

A variety of electric appliances to make you
live easier and more comfortable

Home Care





HIGH VELOCITY FAN

18" (45 cm) fan

3 speeds

3 wing aluminum blades

Metal construction

Adjustable vertical tilting airflow

Powerful performance

Model: WSFHV18

Rating: 120V 60Hz, 65W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
19.69*6.3*19.69 in 500*160*500 mm	n/a	n/a	1676 pcs. / 40'HC



Home Care



HIGH VELOCITY FAN

12" (30 cm) fan

3 speeds

3 wing aluminum blades

Metal construction

Adjustable vertical tilting airflow

Powerful performance


Model: WSFHV12

Rating: 120V 60Hz, 40W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
14.17*5.71*14.17 in 360*145*360 mm	n/a	n/a	3552 pcs. / 40'HC

**HIGH VELOCITY FAN**

20" (50 cm) fan

3 speeds

3 wing aluminum blades

Metal construction

Adjustable vertical tilting airflow

Powerful performance

Model: WSFHV20

Rating: 120V 60Hz, 150W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
24.41*7.6*22.24 in 620*193*525 mm	n/a	n/a	1030 pcs. / 40'HC



360° OSCILLATING STAND FAN

18" (45 cm) fan
 360° oscillation
 3 speeds
 Adjustable height
 3 wing aluminum blades
 Metal construction
 Metal solid round base
 Powerful performance

Model: WSFS1808

Rating: 120V 60Hz, 65W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
25.59*6.97*19.88 in 650*177*505 mm	n/a	n/a	1217 pcs. / 40'HC

**STAND/FLOOR FAN**

10" (25 cm) stand/floor fan
 3 speeds
 3 wing plastic (PP) blades
 Adjustable height
 Adjustable tilt fan head
 Powerful performance

Model: WSFS1009

Rating: 120V 60Hz, 75W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
14.57*9.65*14.57 in 370*245*370 mm	n/a	n/a	1953 pcs. / 40'HC



Floor option

Stand option



AIR CIRCULATOR

8" (20 cm) fan
 3 speeds
 3 wing plastic (PP) blades
 Vertical tilting airflow
 Wall mountable
 Powerful performance

Model: WSFC818

Rating: 120V 60Hz, 35W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.22*5.98*11.61 in 285*152*295 mm	6 pcs.	24.02*18.5*11.61 in 610*470*295 mm	4710 pcs. / 40'HC

**STAND FAN**

16" (40 cm) fan
 3 speeds
 Oscillating function
 Adjustable height up to 48" (122 cm)
 Adjustable tilt fan head
 High durability copper motor
 Durable plastic housing

Model: WSFS15816BK

Rating: 120V 60Hz, 45W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
17.32*4.72*22.24 in 440*120*565 mm	n/a	n/a	1920 pcs. / 40'HC



CIRCULATION FAN

16" (40 Cm) floor/wall mount fan
 3 speeds
 Pivoting head for directional air flow
 High durability copper motor
 Durable plastic housing
 No tools assembly
 Top mount control
 Convenient carrying handle
 Steady base with wall mount option

Model: WSFC15695BK

Rating: 120V 60Hz, 65W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
19.69*5.91*20.67 in 500*150*525 mm	n/a	n/a	1730 pcs. / 40'HC

**DESK FAN**

12" (30 Cm) desk fan
 3 speeds
 Oscillating function
 High durability copper motor
 Durable plastic housing
 No tools assembly

Model: WSFD15055BK / WSFD15055WH

Rating: 120V 60Hz, 45W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
14.17*8.07*14.17 in 360*205*360 mm	n/a	n/a	2494 pcs. / 40'HC



WSFD15055BK
Black

WSFD15055WH
White



OSCILLATING TABLE FAN

9" table fan
 4 speed settings
 3 wind modes: normal, nature & sleeping
 3D oscillation: 70° oscillation from left and right;
 75° oscillation from up and down
 Child Lock
 8 hour auto off
 7 hour timer
 Remote control

Model: WSFCHA
 Rating: 120V 60Hz, 60W
 Certification: ETL
 Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
10.24*10.63*14.17 in 260*270*360 mm	4 pcs.	25.39*24.02*16.54 in 645*610*420 mm	600 pcs. / 20'GP 1200 pcs. / 40'GP 1500 pcs. / 40'HC

**OSCILLATING STAND FAN**

9" stand fan
 4 speed settings
 3D oscillation: 70° oscillation from left and right;
 90° oscillation from up and down
 Child Lock
 7 hour timer
 Remote control

Model: WSFSFC
 Rating: 120V 60Hz, 60W
 Certification: ETL
 Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
10.24*9.84*21.65 in 260*250*550 mm	1 pc.	20.47*12.44*12.91 in 520*316*328 mm	440 pcs. / 20'GP 881 pcs. / 40'GP 988 pcs. / 40'HC



STAND FAN

Power stand fan
 3 speed settings
 Individual controls
 3D oscillation: 70° oscillation from left and right;
 90° oscillation from up and down
 7 hour timer
 Remote control

Model: WSFCD3
 Rating: 120V 60Hz, 105W
 Certification: ETL
 Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.02*9.45*38.78 in 280*240*985 mm	1 pc.	12.72*12.32*41.32 in 323*313*1050 mm	270 pcs. / 20'GP 540 pcs. / 40'GP 610 pcs. / 40'HC

**FAN HEATER**

1500W heater with adjustable thermostat
 PTC heating element
 Over-heat protection
 Dust filter
 Indicator light
 Auto oscillation around 70° from left and right

Model: WSHPTCM
 Rating: 120V 60Hz, 1500W
 Certification: ETL, CETL
 Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
7.2*7.2*10.24 in 183*183*260 mm	6 pcs.	22.44*7.8*21.26 in 570*198*540 mm	3000 pcs. / 20'GP 6000 pcs. / 40'GP 6500 pcs. / 40'HC



FAN HEATER

PTC ceramic fan heater
 Over-heat protection
 Tip-over protection
 Two power settings with sensor function
 Adjustable angle for outlet window
 4 hour timer setting
 Dust filter

Model: WSHPTCA

Rating: 120V 60Hz, 1500W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.65*5.83*16.5 in 296*148*419 mm	4 pcs.	23.82*12.01*17.05 in 605*305*433 mm	1240 pcs. / 20'GP 2480pcs. / 40'GP 3200 pcs. / 40'HC

**FAN HEATER**

PTC ceramic fan heater
 Electronic control with LED screen
 Over-heat protection
 Tip-over protection
 Two power settings with sensor function
 Remote control
 7 hour timer setting
 Dust filter

Model: WSHPTCG

Rating: 120V 60Hz, 1500W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
17.72*7.13*16.65 in 450*181*423 mm	2 pcs.	18.50*20.87*16.93 in 470*530*430 mm	500 pcs. / 20'GP 1000 pcs. / 40'GP 1200 pcs. / 40'HC



ROBOTIC VACUUM CLEANER

Robotic vacuum with Wi-Fi connectivity

Wi-Fi app control; Voice prompt; works with Alexa

5 cleaning modes: Auto-navigation, Edge mode, Spot mode, Strong mode & Schedule mode

300 mL dust bin

Self-charging

Remote control

Battery: 14.8V 2600mAh Li-ion battery

Charging time : 4-5 hours

Cleaning time : 90 minutes

Model: WFVCR185

Rating: 24W

Certification: FCC, UL (adaptor)

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
21.65*7.09*16.14 in 550*180*410 mm	4 pcs.	26.77*22.44*16.93 in 680*570*430 mm	648 pcs. / 20'GP 1600 pcs. / 40'HC





Westinghouse

INNOVATION YOU CAN BE SURE OF

CONTACT US

Star Glory Limited

Address:

905-907, 9th Floor,
Tower 1, Cheung Sha Wan Plaza,
833 Cheung Sha Wan Road,
Lai Chi Kok, Kowloon,
Hong Kong

Email:

sales@starglory.com.hk

Website:

www.starglory.com.hk

© WESTINGHOUSE, and INNOVATION YOU CAN BE SURE OF are trademarks of Westinghouse Electric Corporation, a USA company. Used under license by Star Glory Limited. All Rights Reserved.

Exclusive distributor

