



Westinghouse

INNOVATION YOU CAN BE SURE OF



WESTINGHOUSE COOLING & HEATING Product Catalog

Westinghouse 130 years

Invention and Innovation

1846



George Westinghouse was born

1865



Westinghouse receives his first patent for a rotary steam engine

1869



Westinghouse patents the air brake, revolutionizing railroad safety

1869



Westinghouse Air Brake Company is founded

1923



Westinghouse pioneers the first international shortwave radio broadcast

1921



Westinghouse introduces the first factory-built radio receiver

1920



Westinghouse makes history with the first commercial radio broadcast in the country. Radio station KDKA begins operations

1917



Westinghouse introduces the first all-electric kitchen range

1916



Westinghouse introduces an innovative toaster that flips bread slices, toasting them evenly

1930



55,000 Westinghouse workers honor George Westinghouse by raising funds to build a memorial and garden in Pittsburgh's Schenley Park

1933



The world's fastest elevators are built for New York's Rockefeller Center

1937



Westinghouse Electric constructs the first atom smasher to explore the potential of nuclear energy as a practical power source

The Changing World

1939



Westinghouse makes an impression at the New York World's Fair with its Hall of Power and Elektro, the walking, talking robot

2002




Westinghouse works with NASA to develop the Eye Saver light bulb

2001



ENERGY STAR light bulbs, lighting fixtures and ceiling fans are introduced

1977



Westinghouse introduces the first airborne surveillance radar system

1969



Westinghouse cameras capture the first moonwalk for viewers back on earth

1968




Westinghouse introduces the first "Instant-On" Television

1871



Westinghouse Air Brake Company implements half-day Saturdays, a big step toward the five-day work week

1873



The automatic air brake is invented

1881



Westinghouse founds Union Switch and Signal Company to develop closed-track circuits and interlocking systems for railroads

1886



Westinghouse Electric Company is founded

1888



Nikola Tesla receives a patent for the first alternating current motor and comes to work for Westinghouse Electric Company

1914



Westinghouse acquires Copeman Electric Stove Company and enters the home appliance market

1914



George Westinghouse dies, leaving a legacy that includes 361 patents and the founding of 60 companies

1896



Westinghouse harnesses the power of Niagara Falls and builds the first hydroelectric power plant

The Years of Growth

1893



Westinghouse beats Thomas Edison for the contract to light the Chicago World's Fair with AC power and wins the "War of the Currents."

1939



Westinghouse hosts the Battle of the Centuries Dishwashing Contest to showcase its new dishwasher

1940s



Westinghouse supports the war effort on many fronts, including the creation of the famous "We Can Do It" poster

1941



Westinghouse begins producing power at Grand Coulee Dam

1946



The first electric clothes dryer is introduced

1950s




Westinghouse markets its appliance line with the Freedom Fair advertising campaign

1960



Paul Rand designs the Westinghouse logo

1954



Westinghouse launches its first color television

1954



The USS Nautilus, the world's first nuclear submarine, was launched with a reactor built by Westinghouse

1955



Westinghouse refrigerators account for 55% of the refrigerator market in the U.S.

The Modern Era

Our Promise

For more than a century, Westinghouse has consistently provided innovative, reliable, high-quality products and customer service. It's a combination of groundbreaking technology and rock-solid dependability that's made us one of the world's most trusted brands.

From outdoor portable generators that provide power for your home, work and play moments, to high-definition TVs that are setting new standards for performance, we're constantly developing advanced products, rigorously testing them to make sure they work time after time, day after day.


When you see the W, you know you're getting a product packed with features that make your life easier, while still being easy to use. A product that has all the latest thinking, while providing years of value.
Innovation You Can Be Sure Of.

From a company that always puts you first.





ELECTRIC FANS



18"/45 cm HIGH VELOCITY FAN

HIGH VELOCITY FAN

18" (45 cm) fan

3 speeds

3 wing aluminum blades

Metal construction


Adjustable vertical tilting airflow

Powerful performance

Model: WSFHV18


Rating: 120V 60Hz, 65W

Certification: CETL



Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
19.69*6.3*19.69 in 500*160*500 mm	n/a	n/a	1676 pcs. / 40'HC



12"/30 cm HIGH VELOCITY FAN

HIGH VELOCITY FAN

12" (30 cm) fan

3 speeds

3 wing aluminum blades

Metal construction

Adjustable vertical tilting airflow

Powerful Performance

Model: WSFHV12


Rating: 120V 60Hz, 40W

Certification: CETL

Packing:



Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
14.17*5.71*14.17 in 360*145*360 mm	n/a	n/a	3552 pcs. / 40'HC



20"/50 cm HIGH VELOCITY FAN

HIGH VELOCITY FAN

20" (50 cm) fan

3 speeds

3 wing aluminum blades

Metal construction

Adjustable vertical tilting airflow

Powerful Performance




Model: WSFHV20

Rating: 120V 60Hz, 150W

Certification: CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
24.41*7.6*22.24 in 620*193*525 mm	n/a	n/a	1030 pcs. / 40'HC



18"/45 cm OSCILLATING STAND FAN

360° OSCILLATING STAND FAN

18" (45 cm) fan
360° oscillation
3 speeds
Adjustable height
3 wing aluminum blades
Metal construction
Metal solid round base
Powerful Performance

Model: WSFS1808
Rating: 120V 60Hz, 65W
Certification: CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
25.59*6.97*19.88 in 650*177*505 mm	n/a	n/a	1217 pcs. / 40'HC





14"/35 cm HIGH VELOCITY FAN

HIGH VELOCITY FAN

14" (35 cm) fan

3 speeds

3 wing blades

Oscillating function

Air volume: 2000 CFM

Model: WSFHV14S180

Rating: 120V 60Hz, 45W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
18.9*11.4*19.3 in 480*290*490 mm	1 pc.	n/a	416 pcs. / 20'GP 832 pcs. / 40'GP 960 pcs. / 40'HC





18"/45 cm HIGH VELOCITY FAN

HIGH VELOCITY FAN

18" (45 cm) fan

3 speeds

3 wing blades

Oscillating function

Air volume: 4200 CFM

Model: WSFHV18S180

Rating: 120V 60Hz, 85W

Certification: ETL

Packing:



Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
22.8*10.2*23.2 in 580*260*590 mm	1 pc.	n/a	320 pcs. / 20'GP 640 pcs. / 40'GP 720 pcs. / 40'HC



20"/50 cm HIGH VELOCITY FAN

HIGH VELOCITY FAN

20" (50 cm) fan

3 speeds

5 wing blades

Air volume: 4600 CFM

Model: WSFHV20S

Rating: 120V 60Hz, 150W

Certification: ETL, CETL

Packing:



Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
24.4*7.1*24 in 620*180*610 mm	1 pc.	n/a	417 pcs. / 20'GP 855 pcs. / 40'GP 1045 pcs. / 40'HC



20"/50 cm HIGH VELOCITY STAND FAN

HIGH VELOCITY STAND FAN

20" (50 cm) fan

3 speeds

5 wing blades

Oscillating function

Air volume: 4600 CFM

Model: WSFS20

Rating: 120V 60Hz, 150W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
23*10*23.4 in 585*255*595 mm	1 pc.	n/a	330 pcs. / 20'GP 660 pcs. / 40'GP 720 pcs. / 40'HC





14"/35 cm HIGH VELOCITY STAND FAN

HIGH VELOCITY STAND FAN

14" (35 cm) fan

3 speeds

3 wing blades

Oscillating function

Air volume: 2000 CFM

Model: WSFS14S180

Rating: 120V 60Hz, 45W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
20*10.6*20.5 in 510*270*520 mm	1 pc.	n/a	352 pcs. / 20'GP 704 pcs. / 40'GP 880 pcs. / 40'HC





18"/45 cm HIGH VELOCITY STAND FAN

HIGH VELOCITY STAND FAN

18" (45 cm) fan

3 speeds

3 wing blades

Oscillating function

Air volume: 4200 CFM

Model: WSFS18S180

Rating: 120V 60Hz, 85W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
22.8*11*23.2 in 580*280*590 mm	1 pc.	n/a	304 pcs. / 20'GP 638 pcs. / 40'GP 718 pcs. / 40'HC





20"/50 cm HIGH VELOCITY STAND FAN

HIGH VELOCITY STAND FAN

20" (50 cm) fan
3 speeds
5 wing blades
Air volume: 4600 CFM

Model: WSFS20S
Rating: 120V 60Hz, 150W
Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
24.4*8.3*25.6 in 620*210*650 mm	1 pc.	n/a	365 pcs. / 20'GP 740 pcs. / 40'GP 834 pcs. / 40'HC





24"/60 cm HIGH VELOCITY STAND FAN

HIGH VELOCITY STAND FAN

24" (60 cm) fan

3 speeds

5 wing blades

Oscillating function

Air volume: 6000 CFM


Model: WSFS24S180

Rating: 120V 60Hz, 150W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
29.7*12.2*29.7 in 755*310*755 mm	1 pc.	n/a	174 pcs. / 20'GP 339 pcs. / 40'GP 380 pcs. / 40'HC





12"/30 cm METAL DESK FAN

DESK FAN

12" (30 cm) vintage metal desk fan

3 fan speeds

Metal grills and blades

Oscillating function

Model: WSFDMB

Rating: 120V 60Hz, 30W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
12.8*16.06*9.57 in 325*408*243 mm	n/a	n/a	564 pcs / 20' GP 1162 pcs. / 40' GP 1309 pcs. / 40'HC





16"/40 cm STAND FAN

STAND FAN

16" (40 cm) fan

3 speeds

Oscillating function

Adjustable height up to 48" (122 cm)

Adjustable tilt fan head

High durability copper motor

Durable plastic housing

Model: WSFS15816BK

Rating: 120V 60Hz, 45W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
17.32*4.72*22.24 in 440*120*565 mm	n/a	n/a	1920 pcs. / 40'HC





12"/30 cm DESK FAN

DESK FAN

12" (30 cm) desk fan

3 speeds

Oscillating function

High durability copper motor

Durable plastic housing

No tools assembly

Model: WSFD15055BK / WSFD15055WH

Rating: 120V 60Hz, 45W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
14.17*8.07*14.17 in 360*205*360 mm	n/a	n/a	2494 pcs. / 40'HC



WSFD15055BK
Black



WSFD15055WH
White



16"/40 cm CIRCULATION FAN

CIRCULATION FAN

16" (40 cm) floor/wall mount fan

3 speeds

Pivoting head for directional air flow

High durability copper motor

Durable plastic housing

No tools assembly

Top mount control

Convenient carrying handle

Steady base with wall mount option

Model: WSFC15695BK

Rating: 120V 60Hz, 65W

Certification: ETL



Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
19.69*5.91*20.67 in 500*150*525 mm	n/a	n/a	1730 pcs. / 40'HC



8"/20 cm AIR CIRCULATOR

AIR CIRCULATOR

8" (20 cm) fan
3 speeds
3 wing plastic (PP) blades
Vertical tilting airflow
Wall mountable
Powerful Performance



Model: WSFC818
Rating: 120V 60Hz, 35W
Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.22*5.98*11.61 in 285*152*295 mm	6 pcs.	24.02*18.5*11.61 in 610*470*295 mm	4710 pcs. / 40'HC



9"/23 cm CIRCULATOR FAN

CIRCULATOR FAN

23 cm (9") desk fan
Tilt up/down up to 50°
3 speed settings
Detachable filter

Model: WFF-550
Rating: 120V 60Hz, 35W
Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
300*150*315 mm	TBA	TBA	TBA





9"/23 cm OSCILLATING TABLE FAN

OSCILLATING TABLE FAN

9" table fan
 4 speed settings
 3 wind modes: normal, nature & sleeping
 3D oscillation: 70° oscillation from left and right;
 75° oscillation from up and down
 Child Lock
 8 hour auto off
 7 hour timer
 Remote control
 Model: WSFCHA
 Rating: 120V 60Hz, 60W
 Certification: ETL



Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
10.24*10.63*14.17 in 260*270*360 mm	4 pcs.	25.39*24.02*16.54 in 645*610*420 mm	600 pcs. / 20'GP 1200 pcs. / 40'GP 1500 pcs. / 40'HC



STAND FAN

Power stand fan

3 speed settings

Individual controls

3D oscillation: 70° oscillation from left and right;
90° oscillation from up and down

7 hour timer

Remote control

Model: WSFCD3

Rating: 120V 60Hz, 105W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.02*9.45*38.78 in 280*240*985 mm	1 pc.	12.72*12.32*41.32 in 323*313*1050 mm	270 pcs. / 20'GP 540 pcs. / 40'GP 610 pcs. / 40'HC





9"/23 cm OSCILLATING STAND FAN

OSCILLATING STAND FAN

9" stand fan
 4 speed settings
 3D oscillation: 70° oscillation from left and right;
 90° oscillation from up and down
 Child Lock
 7 hour timer
 Remote control

Model: WSFSFC
 Rating: 120V 60Hz, 60W
 Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
10.24*9.84*21.65 in 260*250*550 mm	1 pc.	20.47*12.44*12.91 in 520*316*328 mm	440 pcs. / 20'GP 881 pcs. / 40'GP 988 pcs. / 40'HC





42"/107 cm TOWER FAN

TOWER FAN

42" (107 cm) tower fan with remote control
 3 speed settings with oscillating function
 Magnetised remote to store the remote neatly on the top
 8 hours auto shut off timer
 Space saving design and simple "no tool" assembly
 High durability copper motor

Model: WSFT15718BK/WH

Rating: 120V 60Hz, 60W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
n/a	1 pc.	13.23*13.23*41.73 in 313*313*1060mm	700 pcs. / 20'GP 1480 pcs. / 40'GP 1640 pcs. / 40'HC





2 in 1 BLADELESS FAN & AIR PURIFIER

BLADELESS TOWER FAN

2 in 1 bladeless tower fan & air purifier

Utilizes proven UV technology to effectively 99.9% eliminate bacteria and virus

HEPA filter off harmful gas / odors effectively from the air

Negative Ionizer produces over negative ions to absorb dust, smoke

4000-8000 rpm/min airflow

30° / 60° / 90° / 120° oscillation settings

LED display

Remote control


Model: WSFT001

Rating: 120V 60Hz, 26W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
n/a	1 pc.	10.43*10.43*36.42 in 265*265*925 mm	1000 pcs. / 40'HC





Atmosphere lamp **BLADELESS TOWER FAN**

BLADELESS TOWER FAN

Invisible fan blade, safer and easier to clean
 Touch-sensitive control
 Body sensor control for option
 Digital display
 Atmosphere lamp
 90° oscillation
 8 hour timer; 11 speed settings
 Remote control
 43 cubic m/min air volume; 48 db noise level


Model: WSFT010


Rating: 120V 60Hz, 26W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
n/a	1 pc.	10.83*10.83*39.57 in 275*275*1005 mm	1080 pcs. / 40'HC





Oscillating BLADELESS FAN

BLADELESS FAN

Invisible fan blade, safer and easier to clean

Touch-sensitive control

Digital display

90° oscillation (automatically for left/right & up/down)

Up to 6 hour timer

Remote control

45 cubic m/min air flow; 45 db noise level

Model: WSFD011

Rating: 120V 60Hz, 26W

Certification: ETL, CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
13.98*11.22*15.16 in 355*285*385 mm	4 pcs.	23.23*14.69*30.91 in 590*373*785 mm	1600 pcs. / 40'HC





20"/50 cm STAND & FLOOR FAN

STAND & FLOOR FAN

10" (25 cm) stand/floor fan
3 speeds
3 wing plastic (PP) blades
Adjustable height
Adjustable tilt fan head
Powerful Performance

Model: WSFS1009
Rating: 120V 60Hz, 75W
Certification: CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
14.57*9.65*14.57 in 370*245*370 mm	n/a	n/a	1953 pcs. / 40'HC



Floor option



Stand option



ELECTRIC HEATERS



PTC FAN HEATER

FAN HEATER

PTC heating element
Over-heat protection
Tip-over protection
Two heat settings
Adjustable thermostat
Auto oscillation
Dust filter

Model: WSHPTCM

Rating: 120V 60Hz, 1500W

Certification: CB, CE, ETL, CETL

Packing:



Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
7.2*7.2*10.24 in 183*183*260 mm	6 pcs.	22.44*7.8*21.26 in 570*198*540 mm	3000 pcs. / 20'GP 6000 pcs. / 40'GP 6500 pcs. / 40'HC

PTC FAN HEATER

FAN HEATER


- PTC heating element
- Electronic control with LED screen
- Over-heat protection
- Tip-over protection
- Two power settings with sensor function
- Remote control
- 7 hour timer
- Dust filter

Model: WSHPTCG
Rating: 120V 60Hz, 1500W
Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
17.72*7.13*16.65 in 450*181*423 mm	2 pcs.	18.5*20.87*16.93 in 470*530*430 mm	500 pcs. / 20'GP 1000 pcs. / 40'GP 1200 pcs. / 40'HC





FAN HEATER

PTC heating element
 Digital controls
 Over-heat protection
 Tip-over protection
 Two power settings with sensor function
 Adjustable angle for outlet window
 4 hour timer setting
 Dust filter

Model: WSHPTCA

Rating: 120V 60Hz, 1500W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.65*5.83*16.5 in 296*148*419 mm	4 pcs.	23.82*12.01*17.05 in 605*305*433 mm	1240 pcs. / 20'GP 2480pcs. / 40'GP 3200 pcs. / 40'HC





Oscillating CERAMIC HEATER

CERAMIC HEATER

- Programmable thermostat
- Sensor touch controls
- LED indicators
- 3 heat settings
- Oscillating function
- 24 hour timer
- Overheat protection
- Tip-over protection

Model: WHH1862P
Rating: 120V 60Hz, 1500W
Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
255*225*581 mm	TBA	TBA	TBA





FAN HEATER

Vintage design
2 heat settings
Over-heat protection
Tip-over protection
Cord storage

Model: WSHFJIB
Rating: 120V 60Hz, 1500W
Certification: Pending



Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
11.81*12.09*6 in 300*307*153 mm	6 pcs.	18.7*25*12.2 in 475*635*310 mm	1872 pcs. / 20'GP 3630 pcs. / 40'GP 4368 pcs. / 40'HC



24 hour timer FAN HEATER

FAN HEATER

24 hour timer
 2 heat settings
 Cool / warm / hot wind selections
 Adjustable thermostat
 Oscillating function
 Tip-over protection
 Overheat protection
 Indicator light

Model: WSHFB
 Rating: 120V 60Hz, 1500W
 Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
10.16*15.16*6.97 in 258*385*177 mm	6 pcs.	21.46*30.91*10.55 in 545*785*268 mm	1308 pcs. / 20'GP 2928 pcs. / 40'GP 3396 pcs. / 40'HC





24 hour timer FAN HEATER

FAN HEATER

24 hour timer
 2 heat settings
 Cool / warm / hot wind selections
 Adjustable thermostat
 Oscillating function
 Tip-over protection
 Overheat protection
 Indicator light

Model: WSHFHIDE

Rating: 120V 60Hz, 1500W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
10.16*15.16*6.97 in 258*385*177 mm	6 pcs.	21.46*30.91*10.55 in 545*785*268 mm	1308 pcs. / 20'GP 2928 pcs. / 40'GP 3396 pcs. / 40'HC





Ceramic FAN HEATER

FAN HEATER

Ceramic heating element
2 heat settings
Adjustable thermostat
Power indicator light
Oscillating function
Tip-over protection
Overheat protection
Indicator light

Model: WSHPTC905
Rating: 120V 60Hz, 1500W
Certification: ETL, CETL



Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
8.27*6.46*11.61 in 210*164*295 mm	6 pcs.	20.08*8.86*23.82 in 510*225*605 mm	2400 pcs. / 20'GP 4980 pcs. / 40'GP 5760 pcs. / 40'HC



ELECTRIC FIREPLACE

Free-standing electric fireplace heater
LED lights
Log fuel effect
Decoration doors
Adjustable flame brightness
2 heat settings
Safety cut-off switch
Tip-over switch
MDF top and bottom panels, iron body

Model: WSHPTC905
Rating: 120V 60Hz, 1500W
Certification: CSA

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
19.13*13.9*23.43 in 486*350*560 mm	1 pc	n/a	304 pcs. / 20'GP 590 pcs. / 40'GP 612 pcs. / 40'HC





Free-standing ELECTRIC FIREPLACE

ELECTRIC FIREPLACE

Free-standing electric fireplace heater
LED lights
Log fuel effect
Flame can be operated with or without heat
2 heat settings
Safety cut-off device
Tip-over switch

Model: WSHFP25
Rating: 120V 60Hz, 1500W
Certification: GSA

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
17.28*12.4*22.4 in 439*315*569 mm	1 pc.	n/a	364 pcs. / 20'GP 756 pcs. / 40'GP 860 pcs. / 40'HC





ELECTRIC FIREPLACE

Free-standing electric fireplace heater
 Long flame effect
 Flame can be operated with or without heat
 2 heat settings
 Safety thermal cut-off device
 3 sided open design

Model: WSHFP1318


Rating: 120V 60Hz, 1500W

Certification: GSA

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
24.88*13.46*27 in 630*340*690 mm	1 pc.	n/a	186 pcs. / 20'GP 390 pcs. / 40'GP 447 pcs. / 40'HC





Free-standing ELECTRIC FIREPLACE

ELECTRIC FIREPLACE

Wooden mantel electric fireplace with 7 color LED lights (Blue, Pink, Red, White, Green, amber, cyan)

Log fuel and LED flame effect

2 heat settings and 12 hour timer

Adjustable temperature settings from 86°F to 95°F (15°C to 35°C)

9 settings for brightness of flame and fuelbed

Remote control

Safety cut-off device and tip-over switch

Model: WSHFP30


Rating: 120V 60Hz, 1000W

Certification: CETL



Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
28.67*14.69*23.74 in 718*373*603 mm	1 pc.	n/a	170 pcs. / 20'GP 345 pcs. / 40'GP 384 pcs. / 40'HC



36" & 40" Wall mounted **ELECTRIC FIREPLACE**

ELECTRIC FIREPLACE

Fully insert & wall mounted
electric fireplace

Crystal stone fuel effect

Flat tempered glass front
panel with touch control

Adjustable temperature
settings from 62 °F to 82°F

8 hour timer

5 level of flame brightness

9 changeable flame color

Front vent heating

Remote control

LED lights

Safety cut-off device

Tip-over switch

Model: WSHFP1336 (36")

WSHFP1340 (40")

Rating: 120V 60Hz, 1500W

Certification: CETL




Packing (WSHFP1336):

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
39.17*8.66*24.72 in 995*220*628 mm	1 pc.	n/a	204 pcs. / 20'GP 432 pcs. / 40'GP 480 pcs. / 40'HC

Packing (WSHFP1340):

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
43.15*8.66*24.72 in 1096*220*628 mm	1 pc.	n/a	180 pcs. / 20'GP 384 pcs. / 40'GP 424 pcs. / 40'HC




36" Wall mounted **ELECTRIC FIREPLACE**

ELECTRIC FIREPLACE

36" flat panel wall mounted
electric fireplace
4 level flame brightness adjustment
2 heat settings
0.5 - 7.5 hour timer
Remote control
Wall bracket is included

Model: WSHFP36WM
Rating: 110-120V 60Hz, 1500W
Certification: CSA

Packing:



Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
37.8*6.69*25 in 960*170*635 mm	1 pc.	n/a	288 pcs. / 20'GP 580 pcs. / 40'GP 680 pcs. / 40'HC



36" Wall mounted **ELECTRIC FIREPLACE**

ELECTRIC FIREPLACE

- 36" white glass wall mounted and built-in electric fireplace
- 3 color changing LED lighted flame
- 4 level flame brightness adjustment
- 2 heat settings
- 0.5 - 7.5 hour timer
- Remote control
- Wall bracket is included
- Overheat protection

Model: WSHFP36B


Rating: 110-120V 60Hz, 1200W

Certification: CSA

Packing:



Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
37.8*6.69*25 in 960*170*635 mm	1 pc.	n/a	288 pcs. / 20'GP 580 pcs. / 40'GP 680 pcs. / 40'HC



ELECTRIC FIREPLACE

50" wall mounted and built-in electric fireplace

3 color LED flame

4 level flame brightness adjustment

Touch control panel

2 heat settings

0.5 - 7.5 hour timer

Remote control

Wall bracket is included

Model: WSHFP50

Rating: 110-120V 60Hz, 1500W

Certification: CSA



Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
53.7*7.6*2.4 in 1364*193*61 mm	1 pc.	n/a	186 pcs. / 20'GP 340 pcs. / 40'GP 400 pcs. / 40'HC



ELECTRIC **BLANKETS**



62" x 84"
(Twin size)
**ELECTRIC
BLANKET**

ELECTRIC BLANKET

62" x 84"(Twin size)

3 temperature settings

LED indicator

Automatic switch-off after 8 hours

Washable thanks to detachable controller

Overheating protection

Model: WHBK10

Rating: 120V 60Hz, 105W

Certification: GS, CE, ETL



Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
TBA	TBA	TBA	TBA



72" x 84" (Full size) **ELECTRIC BLANKET**

ELECTRIC BLANKET

72" x 84"(Full size)

3 temperature settings

LED indicator

Automatic switch-off after 8 hours

Washable thanks to detachable controller

Overheating protection

Model: WHBK11

Rating: 120V 60Hz, 105W

Certification: GS, CE, ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
TBA	TBA	TBA	TBA





63" x 51" ELECTRIC BLANKET

ELECTRIC BLANKET

63" x 51"

Over blanket, rapid heat up, washable

3 heat Settings

2 hour auto timer

Overheat and over current protections

Detachable connector

Material: 230 gsm x 2 soft flannel fleece

Heating element: Double helix heating wire

Edge sewing: Binding

Model: WHBK16

Rating: 120V 60Hz, 100W

Certification: ETL



Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
15.75*4.33*12.6 in 400*110*320 mm	6 pcs.	26*16.34*13.78 in 660*420*350 mm	TBA



ELECTRIC BLANKET

63" x 51"

Over blanket, rapid heat up, washable

3 heat Settings

2 hour auto timer

Overheat and over current protections

Detachable connector

Material: 230 gsm x 2 soft flannel fleece

Heating element: Double helix heating wire

Edge sewing: Binding

Model: WHBK17

Rating: 120V 60Hz, 100W

Certification: ETL



Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
15.75*4.33*12.6 in 400*110*320 mm	6 pcs.	26*16.34*13.78 in 660*420*350 mm	TBA





3 in 1 Desktop AIR PURIFIER

AIR PURIFIER

Multi-layer filters efficiently removes PM2.5 particles, smoke, dust, pollen, TVOC, bacteria and smells

Air purifier, bladeless fan and LED night 3 in 1

Carbon pre-filter and HEPA filter

3 speed settings and sleep mode

Easy button controls

Smoke CADR: 65 cubic m/h

Noise level: 35-52 dB

Application area: 7-9 sq. m

Model: WWEAP02

Rating: DC12V, 10W

Certification: Pending

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
7.95*7.95*13.78 in 202*202*350 mm	4 pcs.	24.53*16.54*14.96 in 623*420*380 mm	1732 pcs. / 20'GP 3604 pcs. / 40'GP 4232 pcs. / 40'HC





Ionizer HEPA AIR PURIFIER

AIR PURIFIER

Efficiently removes smoke, dust, pollen, mould, bacteria, pet dander and smells

Pre-filter, activated carbon filter and HEPA H13 filter

Negative anion generator release 3 millions anions/cubic cm

3 speed settings and sleep mode

7 color mood light

Filter change indicator

360° air inlet filtration

Smoke CADR: 125 cubic m/h

Noise level: 28-50 dB

Application area: 15 sq. m

Model: WEAP6070

Rating: 110V, 40W

Certification: CETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
10.63*10.63*20.28 in 270*270*515 mm	4 pcs.	21.97*21.97*21.3 in 558*558*541 mm	640 pcs. / 20'GP 1400 pcs. / 40'GP 1600 pcs. / 40'HC





Ionizer HEPA AIR PURIFIER

AIR PURIFIER

Efficiently removes smoke, dust, pollen, bacteria and smells

Negative generator

HEPA filter

3 speed settings

Auto, manual and sleep modes

Air quality sensor

Smoke CADR: 240 cubic m/h

Noise level: ≤ 48 dB

Application area: 50 sq. m

Model: WEAP32

Rating: 110V 60Hz, 54W

Certification: ETL

Packing:

Gift box dimension (in /mm)	Qty. / carton	Carton dimension (in/mm)	Qty. / container
15.94*9.13*20.67 in 405*232*525 mm	1 pc.	n/a	585 pcs. / 20'GP 1296 pcs. / 40'GP 1425 pcs. / 40'HC





CONTACT US

Star Glory Limited

Address:

905-907, 9th Floor,
Tower 1, Cheung Sha Wan Plaza,
833 Cheung Sha Wan Road,
Lai Chi Kok, Kowloon,
Hong Kong

Email:

sales@starglory.com.hk

Website:

www.starglory.com.hk

® , WESTINGHOUSE, and INNOVATION YOU CAN BE SURE OF are trademarks of Westinghouse Electric Corporation, a USA company. Used under license by Star Glory Limited. All Rights Reserved.