


Galanz

Galanz Technologies, Inspiring The World



Best Collection

Small Kitchen Appliances

Galanz

Guangdong Galanz Enterprises Co.,Ltd.
Guangdong Galanz Microwave Electrical Appliances Manufacturing Co.,Ltd.
No.3, Xingpu Road East, Huangpu town, Zhongshan City, Guangdong, China
Tel: +86-760-23306389 Fax: +86-760-23309628 Post Code: 528429

High Quality, International Certification



More Than Cooking

02/21



Toaster Oven

22/31



Electric
Multi-Cooker

34/37



Electric
Pressure Cooker

38/43



Induction Cooker

44/48



Electric
Thermo Pot



GALANZ TOASTER OVEN

Provide you with delicious toast
by accurate control of time

KWS2030LQ-K5

Power: 2000W
Capacity: 30L

Features

120 minutes timer with buzzing
90°C-230°C
Shiny glass door
Indicator light
Black/White/Silver painted housing
Product size: 535*419.5*313mm

20GP	40GP	40HQ
223	463	546

Electric Oven



H7 series



KWS1528Q-H7

Power: 1500W
Capacity: 28L

Features

- 60 minutes timer with bell ring
- 90-230°C adjustable temperature
- 4pcs stainless steel heating element
- Rotisserie or convection is optional
- Accessories: Food tray, grill rack



20GP	40GP	40HQ
320	643	727

Optional capacity: 28L/30L/38L/42L



KWS1528AQ-H7

Power: 1500W
Capacity: 28L

Features

- LED display
- 60 minutes timer with bell ring
- 90-230°C adjustable temperature
- Function included Toast, Pizza, Defrost, Dehydrate
- 4pcs stainless steel heating element
- With rotisserie and convection
- Accessories: Food tray, grill rack



20GP	40GP	40HQ
320	643	727

Optional capacity: 28L/30L/38L/42L



KWS1528HQ-H7

Capacity: 28L

Features

- With double hot plates
- Power: 1500W(oven), Big hotplate 1200W, Small hotplate 800W
- Oven and hot plates work separately
- 60 minutes timer with bell ring
- 90-230°C adjustable temperature
- 4pcs stainless steel heating element
- Rotisserie or convection is optional
- Accessories: Food tray, grill rack



20GP	40GP	40HQ
320	643	727

Optional capacity: 28L/30L/38L/42L

Electric Oven

H8 series



KWS1528Q-H8

Power: 1500W
Capacity: 28L

Features

60 minutes timer with bell ring
90–230°C adjustable temperature
4pcs stainless steel heating element
Rotisserie or convection is optional
Accessories: Food tray, grill rack



20GP	40GP	40HQ
305	629	697

Optional capacity: 28L/30L/38L/42L



KWS1528AQ-H8N

Power: 1500W
Capacity: 28L

Features

LED display
60 minutes timer with bell ring
90–230°C adjustable temperature
Function included Toast, Pizza, Defrost, Dehydrate
4pcs stainless steel heating element
With rotisserie and convection
Accessories: Food tray, grill rack



20GP	40GP	40HQ
305	629	697

Optional capacity: 28L/30L/38L/42L



KWS1528HQ-H8

Power: 1500W
Capacity: 28L

Features

60 minutes timer with bell ring
90–230°C adjustable temperature
4pcs stainless steel heating element
Rotisserie or convection is optional
Accessories: Food tray, grill rack



20GP	40GP	40HQ
288	576	620

Optional capacity: 28L/30L/38L/42L

H12 series

S1 series



KWS1528Q-H12

Power: 1500W
Capacity: 28L

Features

- 60 minutes timer with bell ring
- 90-230°C adjustable temperature
- 4pcs stainless steel heating element
- Rotisserie or convection is optional
- Accessories: Food tray, grill rack

20GP	40GP	40HQ	
305	629	697	

Optional capacity: 23L/25L/28L/30L/38L/42L



KWS2046Q-S1

Power: 2000W
Capacity: 46L

Features

- 90 minutes timer with bell ring
- 90-230°C adjustable temperature
- Hold 16 Pizza, 9 Slice Toast
- Silver Knob with Chrome
- 4pcs stainless steel heating element
- Rotisserie or convection is optional
- Accessories: Food tray, grill rack



20GP	40GP	40HQ
212	447	528



KWS2046Q-S1N

Power: 2000W
Capacity: 46L

Features

- 90 minutes timer with bell ring
- 90-230°C adjustable temperature
- Hold 16 Pizza, 9 Slice Toast
- Silver Knob with Chrome
- 4pcs stainless steel heating element
- Rotisserie or convection is optional
- Accessories: Food tray, grill rack



20GP	40GP	40HQ
212	447	528



KWS2046AQ-S1

Power: 2000W
Capacity: 46L

Features

- LED display
- 90 minutes timer with bell ring
- 90-230°C adjustable temperature
- 4pcs stainless steel heating element
- Hold 16 Pizza, 9 Slice Toast
- Function included Toast, Convection, Pizza, Defrost, Cake, Yogurt, Beef, Rotisserie,
- Accessories: Food tray, grill rack



20GP	40GP	40HQ
212	447	528

F5 series



KWS1542Q-F5Z

Power: 2000W
Capacity: 42L

Features

90 minutes timer with bell ring
90-230°C adjustable temperature
4pcs stainless steel heating element
Rotisserie or convection is optional
Accessories: Food tray, grill rack



20GP	40GP	40HQ
210	455	546

Optional capacity: 38L/42L

KWS1542AQ-F5ZS

Power: 1500W
Capacity: 28L

Features

LED display
60 minutes timer with bell ring
90-230°C adjustable temperature
Function included Toast, Pizza, Defrost, Dehydrate
4pcs stainless steel heating element
With rotisserie and convection
Accessories: Food tray, grill rack



20GP	40GP	40HQ
305	629	697

Optional capacity: 38L/42L

Electric Oven



KWS1542Q-F5A

Power: 1500W
Capacity: 28L

Features

60 minutes timer with bell ring
90-230°C adjustable temperature
4pcs stainless steel heating element
Rotisserie or convection is optional
Accessories: Food tray, grill rack



20GP	40GP	40HQ
305	629	697

Optional capacity: 28L/30L/38L/42L

KWS1542HQ-F5A

Power: 1500W
Capacity: 28L

Features

60 minutes timer with bell ring
90-230°C adjustable temperature
4pcs stainless steel heating element
Rotisserie or convection is optional
Accessories: Food tray, grill rack



20GP	40GP	40HQ
288	576	620

Optional capacity: 28L/30L/38L/42L



KWS1010J-H10

Power: 1050W
Capacity: 10L

Features

30 minutes timer with bell alarm
90°C~230°C temperature adjustable
2pcs quartz tube
White painted housing
Perfect for baking & grill & toasting
Product size:249*238*163.5mm



20GP	40GP	40HQ
1000	2086	2348



KWS1315R-F3A

Power: 1300W
Capacity: 15L/19L/21L

Features

60 minutes timer with bell alarm
90°C~230°C temperature adjustable
4pcs S.S.tube
Matt black painted housing
Functions include bake, broil, toast and keep warm
Product size:288*272*183mm



20GP	40GP	40HQ
490	1015	1160



KWS1010J-V7

Power: 1000W
Capacity: 10L

Features

30 minutes timer with bell alarm
90°C~230°C temperature adjustable
2pcs quartz tube
Stainless steel housing
Perfect for baking & grill & toasting
Product size:249*238*163.5mm



20GP	40GP	40HQ
850	1746	2080



KWS1321R-F3

Power: 1300W
Capacity: 15L/19L/21L

Features

60 minutes timer with bell alarm
90°C~230°C temperature adjustable
4pcs S.S.tube
Stainless steel housing
Functions include bake, broil, toast and keep warm
Product size:329*333*302mm



20GP	40GP	40HQ
399	826	944



KWS1319J-F2

Power: 1300W
Capacity: 19L/21L/23L

Features

60 minutes timer with bell alarm
90°C~230°C temperature adjustable
4pcs S.S.tube
Stainless steel housing
Functions include bake, broil, toast and keep warm
Product size:297*275*228mm



20GP	40GP	40HQ
503	1007	1151



KWS1525R-F7

Power: 1500W
Capacity: 15L/19L/23L/28L/30L

Features

60 minutes timer with bell alarm
90°C~230°C temperature adjustable
4pcs S.S.tube
Silver painted housing
Functions include bake, broil, toast and keep warm
Product size:329*333*243mm



L	20GP	40GP	40HQ
25	330	690	804
30	400	813	929



KWS1521R-H9C

Power: 1500W
Capacity: 21L

Features

60 minutes timer with buzzing
90°C~230°C temperature adjustable
4pcs S.S.tube
Silver painted housing
Functions include bake, broil, toast and keep warm
Product size:470*395*268mm



20GP	40GP	40HQ
400	813	929



KWS1530Q-F7M

Power: 1500W
Capacity: 30L

Features

60 minutes timer with bell alarm
90°C~230°C temperature adjustable
2pcs light wave tube+2pcs S.S tube
With internal light
Stainless steel housing
Product size:510*416*308mm



20GP	40GP	40HQ
288	576	620

KWS1212AJ-H6N

Power: 1200W
Capacity: 12L

Delicious food, as in Galanz oven.



Japan Oven

1

Large capacity for 4 slices of bread or 9-inch pizza

2

Digital panel with LED

3

Removeable glass, grill rack and crumb tray, easy for cleaning

4

Membrane control with intuitive icons

A variety of colors to choose from



Features:

- ▶ 30 minutes timer
- ▶ Available for 9" pizza
- ▶ 80-230°C temperature adjustable
- ▶ 4pcs quartz elements
- ▶ Large capacity-4 slices of toast
- ▶ Special design for panel and glass
- ▶ Function:toast, bake, grill, pizza, defrost



KWS0807J-H11B/C

Power: 800W
Capacity: 7L

Mechanical Control

Knob①: Power(450/800W) or Temperature Range(90-230℃)
Knob②: Timer (0-15mins)
2*Quartz Tube
Toast, Bake, Grill, Pizza, Defrost
SPCC + Coating, White/Black/Red/Silver
Cavity size: 250*168*156mm
Unit size: 349*222*183mm
Toast Size:100x100mm 2pcs



20GP	40GP	40HQ
1240	2540	2936



KWS1212J-H6F

Power: 1200W
Capacity: 12L

Mechanical Control

Knob①:Power(300/1200W) or Temperature(80-250℃)
Knob②:Timer (0-15mins)
Heating Elements : 4*Quartz Tube
Functions:Toast,Bake,Grill,Pizza,Defrost
Housing:SPCC + Coating, White/Black/Red
Cavity size (LxWxH) mm : 289*260*188mm
Unit size (LxWxH) mm : 340*315*221mm
Toast Size:100x100mm 4pcs



20GP	40GP	40HQ
720	1406	1624



KWS0807J-H11

Power: 800W
Capacity: 7L

Mechanical Control

Knob①: Timer (0-15mins)
2*Quartz Tube
Toast, Bake, Grill, Pizza, Defrost
SPCC + Coating, White/Black/Red/Silver
Cavity size: 250*168*156mm
Unit size: 349*222*183mm
Toast Size:100x100mm 2pcs



20GP	40GP	40HQ
1240	2540	2936



KWS1212J-H6G

Power: 1200W
Capacity: 12L

Mechanical Control

Knob①:Power(300/1200W) or Temperature(80-250℃)
Knob②:Timer (0-15mins)
Heating Elements : 4*Quartz Tube
Functions:Toast,Bake,Grill,Pizza,Defrost
Housing:SPCC + Coating, White/Black/Red
Cavity size (LxWxH) mm : 289*260*188mm
Unit size (LxWxH) mm : 340*315*221mm
Toast Size:100x100mm 4pcs



20GP	40GP	40HQ
720	1406	1624



KWS1212J-H6A/C

Power: 1200W
Capacity: 12L

Mechanical Control

Knob①: Power(300/1200W) or Temperature Range(80-250℃)
Knob②: Timer (0-15mins)
4*Quartz Tube
Toast, Bake, Grill, Pizza, Defrost
SPCC + Coating, White/Black/Red
Cavity size: 289*260*188mm
Unit size: 340*315*221mm
Toast Size: 100x100mm 4pcs



20GP	40GP	40HQ
720	1406	1624



KWS1212AJ-H5AG

Power: 1200W
Capacity: 12L

Membrane Control

0-30mins
80-240℃
4*Quartz Tube
Toast,Bake,Grill,Pizza,Defrost
SPCC + Coating, Champagne Gold/White/Black
Cavity size: 289*260*188mm
Unit size: 340*315*221mm
Toast Size: 100x100mm 4pcs



20GP	40GP	40HQ
736	1552	1712



KWS1212J-H6D

Power: 1200W
Capacity: 12L

Mechanical Control

Knob①:Timer (0-15mins)
4*Quartz Tube
Toast, Bake, Grill, Pizza, Defrost
SPCC + Coating, White/Black/Red
Cavity size: 289*260*188mm
Unit size: 340*315*221mm
Toast Size: 100x100mm 4pcs



20GP	40GP	40HQ
720	1406	1624



KWS1212AJ-H6N

Power: 1200W
Capacity: 12L

Membrane Control

0-30mins
80-230℃
4*Quartz Tube
Toast,Bake,Grill,Pizza,Defrost
SPCC + Coating, White/Black/Red
Cavity size : 289*260*188mm
Unit size : 340*315*221mm
Toast Size:100x100mm 4pcs



20GP	40GP	40HQ
720	1406	1624

KWS1528Q-H8U






Power: 1500W
Capacity: 28L/38L



Temp. Control

Up to 230°C temp. adjustment satisfy multiple temp.


Function Knob

-  upper and lower heating elements + fan
-  upper heating elements + fan
-  upper + lower heating elements
-  upper heating elements+rotisserie
-  upper + lower heating elements + rotisserie + fan

Power Indicator

Timer Control

60 Mins. with bell alarm



KWS1009J-H10R

Power: 1000W
Capacity: 9L

Features

- 30 minutes with bell alarm
- 90°C~230°C temperature adjustable
- 2pcs quartz tube
- Single Low-E glass
- White or black painted housing
- Product size: 354*279*194mm
- Accessories: wire rack, baking tray



A13

20GP	40GP	40HQ
1026	2086	2348



KWS1015J-F3U

Power: 1000W
Capacity: 15L

Features

- 60 minutes with bell alarm
- 90°C~230°C temperature adjustable
- 4pcs S.S tube
- Double glasses
- White/Black/Silver painted housing
- Product size: 427*356*230mm
- Accessories: wire rack, baking tray



20GP	40GP	40HQ
487	1015	1142

A13

A13/EK1 Oven



KWS1319Q-F2R

Power: 1300W
Capacity: 19L

Features

- 60Min with bell alarm
- 90°C~230°C temperature adjustable
- 4pcs S.S tube
- Single Low-E glass
- White/Black/Silver painted housing
- Product size: 432*343*263mm
- Accessories: wire rack, baking tray, crumb tray



20GP	40GP	40HQ
503	1007	1151

A13



KWS1319J-F3UT

Power: 1300W
Capacity: 19L

Features

- 60 minutes with bell alarm
- 90°C~230°C temperature adjustable
- 4pcs S.S tube
- Double glasses
- White/Black/Silver painted housing
- Product size: 432*366*265mm
- Accessories: wire rack, baking tray, crumb tray



20GP	40GP	40HQ
416	870	990

A13



KWS1523Q-F2U

Power: 1500W
Capacity: 23L

Features

- 60 minutes with bell alarm
- 90°C~230°C temperature adjustable
- 4pcs S.S tube
- Double glasses
- White/Black/Silver painted housing
- Product size: 464*383*285mm
- Accessories: wire rack, baking tray, crumb tray



20GP	40GP	40HQ
337	701	804

A13



KWS1523Q-F2R

Power: 1500W
Capacity: 23L

Features

60 minutes with bell alarm
90°C-230°C temperature adjustable
4pcs S.S tube
Single Low-E glass
White/Black/Silver painted housing
Product size: 464*361*285mm
Accessories: wire rack, baking tray, crumb tray

A13



20GP	40GP	40HQ
381	792	890



KWS2038Q-F5U

Power: 2000W
Capacity: 38L

Features

60 minutes with bell alarm
90°C-230°C temperature adjustable
4pcs S.S tube
Double glasses
White/Black/Silver painted housing
Product size: 550*445*325mm
Accessories: wire rack, baking tray, crumb tray

A13



20GP	40GP	40HQ
225	455	516



KWS1528Q-H8R

Power: 1500W
Capacity: 28L

Features

60Min with bell alarm
90°C-230°C temperature adjustable
4pcs S.S tube
Single Low-E glass
White/Black/Silver painted housing
Product size: 510*410*308mm
Accessories: wire rack, baking tray, crumb tray

A13



20GP	40GP	40HQ
315	630	697



KWS1423LQ-F2U

Power: 1400W
Capacity: 23L

Features

60 minutes with bell alarm
90°C-230°C temperature adjustable
4pcs S.S tube
Triple glasses
White/Black/Silver painted housing
Product size: 464*382*284mm
Accessories: wire rack, baking tray, crumb tray

EK1



L	20GP	40GP	40HQ
23	289	590	701



KWS1528HQ-H8R

Power: 1500W
Capacity: 28L

Features

60 minutes with bell alarm
90°C-230°C temperature adjustable
4pcs S.S tube
Single Low-E glass
With double hotplates
White/Black/Silver painted housing
Product size: 510*410*334mm
Accessories: wire rack, baking tray, crumb tray

A13



20GP	40GP	40HQ
288	576	615



KWS1428LQ-F5U

Power: 1400W
Capacity: 28L

Features

60 minutes with bell alarm
90°C-230°C temperature adjustable
4pcs S.S tube
Triple glasses
White/Black/Silver painted housing
Product size: 510x409x308mm
Accessories: wire rack, baking tray, crumb tray

EK1



L	20GP	40GP	40HQ
28	246	496	564



KWS1128HQ-F2UC

Power: 1100W
Capacity: 28L

Features

60 minutes with bell alarm
90°C-230°C temperature adjustable
4pcs S.S tube
With double hotplates
Double glasses
White/Black/Silver painted housing
Product size: 510*409*349mm
Accessories: wire rack, baking tray, crumb tray

A13



20GP	40GP	40HQ
260	541	639



KWS1538LQ-F5U

Power: 1500W
Capacity: 38L

Features

60 minutes with bell alarm
90°C-230°C temperature adjustable
4pcs S.S tube
Triple glasses
White/Black/Silver painted housing
Product size: 550 × 440.5 × 328.5mm
Accessories: wire rack, baking tray, crumb tray

EK1



20GP	40GP	40HQ
225	455	516

GALANZ Multi Rice COOKER

Provide you with delicious rice
Through accurate control of time

B801T-50F16S

Power: 800W
Capacity: 1.8L





Intelligent Multi-Cooker Series

- ▶ 1.8 mm super thick titanium oxide black inner pot, with non-stick coating, scratch resistant, even heating, durable and non-deformable.
- ▶ Unique "bubble breaking device" : steam control technology, effectively prevent overflow and keep the steam inside the pot.
- ▶ 3-D heating, food is cooked more thoroughly.
- ▶ The upper cover is provided with a heater to prevent condensate water from dripping onto the rice.
- ▶ One time IMD injection molding panel.
- ▶ Spring buckle design, easy to clean.
- ▶ Press to open the lid, easy to use.
- ▶ Smart control: more accurate temperature control to make better taste of rice.
- ▶ Multi-function: regular cook, quick cook, steam, congee, yogurt, cake, cereal, soup.



NEW

B801T-50F16S

1.8L/10 Cups/ 800w

Electric Multi-Cooker

Electric Rice Cooker

- ◇ 1.8 mm super thick titanium oxide black inner pot, non-stick coating, scratch resistant, even heating, durable and non-deformable
- ◇ Press to open the lid, easy to use
- ◇ 3-D heating, food is cooked more thoroughly
- ◇ The upper cover is provided with a heater to prevent condensate water from dripping onto the rice.
- ◇ Color LCD display
- ◇ Multi-function: regular, quick, congee, steam, soup
- ◇ 24-hour pre-set
- ◇ Fuzzy logic processor

Multi Rice Cooker



Super-big LCD display, easy to see and control the cooking process




Stainless steel steam valve, easy to wash after cooking. Moisture valve makes the rice more delicious



High-quality imported controller, enduring and quality-guaranteed.



Imprinted gauges on the inner pot make portion control easier



Honeycomb inner pot, excellent heat conduction, scratch resistant. Non-stick coating, easy to wash



Imported controller, durable and quality-guaranteed.

GALANZ Multi Rice COOKER

To provide you with delicious rice
Through accurate control of time

B901T-50F9

Power: 900W
Capacity: 1.8L




Control panel



Golden inner pot



Bottom heating plate



Heating plate feature



Moisturizing steam valve



Corrugated keep warm inner lid



Handle Feature



GAI T space injection molding technology



ELECTRIC MULTI-COOKER

- 1 Intelligent control, multi-function choices**
Intelligent control, you can pre-set as you want. With big screen, you can see the function easily.
- 2 Three dimension heating**
It can heat from the bottom, upper and surrounding areas of the pot to make the heating process effective.
- 3 Special pit design**
The upper pot has pit design which can prevent water from dripping onto the rice.
- 4 Pot bottom with lines design**
Non-stick coating. Pot bottom with lines design can accelerate the heating process.
- 5 24-hour pre-set**
The intelligent pre-set function allows you to enjoy tasty rice any time you like.
- 6 Corrugated inner lid for keeping warm**
Corrugated inner lid can add more heat to the pot to accelerate the heating process.
- 7 Super big LCD screen**
You can know the cooking process through the LCD screen.

Multi Rice Cooker

SIX CORE TECHNOLOGIES



Three-Dimensional Heating



Food-grade antibacterial materials



Three-Dimensional Heating



Honey-comb inner pot




Double-effect micro-pressure valve



Special pit Inner lid design

5 Layers Thick Pot

- Cut-resistant & wear-resistant, non-stick coating
- High resistance to alkaline emulsion closed base oil
- Hard anodized technology and Titanium materials
- High-strength aluminum alloy
- Oxidation treating spraying coating



Three-Dimensional Heating

Galanz special technology, there are heaters at the bottom, lid and body of the pot, completely 3D heating, more uniform and more efficient.





B901T-50F9

Features

- ◇ Stainless steel crust;
- ◇ Digital control with LCD display;
- ◇ Cooking function: fast cook, standard cook, porridge, soup, brown rice, re-heating, steam, yoghurt, keep warm and timer;
- ◇ Scoop, measuring cup and plastic steamer are included.

L	Pot thickness	W
1.8	1.8mm	900

L	Power	20GP	40GP	40HQ
1.0	700	834	1728	1936
1.5	800	698	1438	1634
1.8	900	640	1324	1532



B801T-50F13AS

Features

- ◇ Bright white plastic crust;
- ◇ Digital control with LCD display;
- ◇ Cooking function: soup, porridge, rice with soup, cereal, clay pot, quick cooking, steam, regular cooking, cake, reheating and keep warm;
- ◇ Scoop, measuring cup and plastic steamer are included.

L	Pot thickness	W
1.8	1.8mm	800

20GP	40GP	40HQ
758	1572	1762



B701T-45F12

Features

- ◇ Bright white plastic crust;
- ◇ Digital control with LCD display;
- ◇ Cooking function: fast cook, standard cook, porridge, soup, cake, re-heating, steam, cereal, claypot, keep warm and timer;
- ◇ Scoop, measuring cup and plastic steamer are included.

L	Pot thickness	W
1.5	1.8mm	700

20GP	40GP	40HQ
786	1616	1832



B801T-50F16S

Features

- ◇ Bright white plastic crust;
- ◇ Digital control with LCD display;
- ◇ Cooking function: fast cook, refined cooking, steam, porridge, the baby porridge, soup, cake, cereal crops, crispy rice and yoghurt;
- ◇ Scoop, measuring cup and plastic steamer are included.

L	Pot thickness	W
1.8	1.8mm	800

20GP	40GP	40HQ
806	1680	1912



B801T-50F12

Features

- ◇ Bright black plastic crust;
- ◇ Digital control with LCD display;
- ◇ Cooking function: fast cook, standard cook, porridge, soup, cake, re-heating, steam, cereal, claypot, keep warm and timer;
- ◇ Scoop, measuring cup and plastic steamer are included.

L	Pot thickness	W
1.8	1.8mm	800

20GP	40GP	40HQ
758	1572	1762



B801T-50F16

Features

- ◇ Bright white plastic crust;
- ◇ Digital control with LCD display;
- ◇ Cooking function: regular, steam, re-heating, porridge, cake, yoghurt, crispy rice, braising, cereal crops and soup.
- ◇ Scoop, measuring cup and plastic steamer are included.

L	Pot thickness	W
1.8	1.8mm	800

20GP	40GP	40HQ
806	1680	1912



B701T-45F13AS

Features

- ◇ Bright brown plastic crust;
- ◇ Digital control with LCD display;
- ◇ Cooking function: soup, porridge, rice with soup, cereal, clay pot, quick cooking, steam, regular cooking, cake, reheating and keep warm;
- ◇ Scoop, measuring cup and plastic steamer are included.

L	Pot thickness	W
1.5	1.8mm	700

20GP	40GP	40HQ
786	1616	1832



B801T-50F17

Features

- ◇ Bright white plastic crust;
- ◇ Digital control with LCD display;
- ◇ Cooking function: regular, steam, coarse cereals, crispy rice, re-heating, yoghurt, porridge, braising, cake and soup;
- ◇ Scoop, measuring cup and plastic steamer are included.

L	Pot thickness	W
1.8	1.8mm	800

20GP	40GP	40HQ
652	1368	1570



BFC305

Features

- ◇ Complete plastic crust with LCD display ;
- ◇ Cooking function: fast cook, standard cook, porridge, soup, re-heating and keep warm ;
- ◇ Scoop, measuring cup and plastic steamer are included .

L	Pot thickness	W
1.0	1.5mm	600

20GP	40GP	40HQ
1152	2376	2752



B1300T-40IH16

Features

- ◇ IH heating, make rice more delicious ;
- ◇ Top control with big LCD display, easy to operate ;
- ◇ Inner pot with non-stick coating ;
- ◇ Time pre-set function: 1 minute-24 Hours;
- ◇ IMD injection plastic control panel : non-distortional ;
- ◇ Functions: standard cooking, quick cooking, small quantity cooking, porridge, soup, steam, casserole, cake, re-heating and keep warm .

L	Pot thickness	W
1.5	2.0mm	1300

20GP	40GP	40HQ
806	1680	1912



BFC505

Features

- ◇ Complete plastic crust with LCD display ;
- ◇ Cooking function: fast cook, standard cook, porridge, soup, re-heating and keep warm ;
- ◇ Scoop, measuring cup and plastic steamer are included .

L	Pot thickness	W
1.8	1.5mm	800

20GP	40GP	40HQ
890	1820	2032



B1300T-40IH16S

Features

- ◇ Digital control IH rice cooker;
- ◇ IH heating, make the rice more delicious;
- ◇ Top control with big LCD display, easy to operate;
- ◇ Inner pot with non-stick coating;
- ◇ Time pre-set function: 1 minute-24 Hours;
- ◇ IMD injection plastic control panel : non-distortional;
- ◇ Functions: standard cooking, quick cooking, small quantity cooking, porridge, soup, steam, casserole, cake, re-heating and keep warm .

L	Pot thickness	W
1.5	2.0mm	1300

20GP	40GP	40HQ
806	1680	1912



B350T-15F1

Features

- ◇ Complete plastic crust with LCD display ;
- ◇ Cooking function: fast cook, slow cook, porridge, soup, re-heating, keep warm and pre-set ;
- ◇ Scoop, measuring cup are included .

L	Pot thickness	W
0.4	1.5mm	350

20GP	40GP	40HQ
1546	3194	3624



B901T-50F8

Features

- ◇ Complete plastic crust ;
- ◇ Digital control with LCD display ;
- ◇ Cooking function: fast cook, standard cook, porridge, soup, cake, brown rice, re-heating, keep warm and timer ;
- ◇ Scoop, measuring cup and plastic steamer are included .

L	Pot thickness	W
1.8	1.5mm	900

20GP	40GP	40HQ
754	1530	1740



B1300T-50IH17

Features

- ◇ Digital control IH rice cooker;
- ◇ IH heating, make the rice more delicious;
- ◇ Top control with big LCD display, easy to operate;
- ◇ Inner pot with non-stick coating;
- ◇ Time pre-set function: 1 minute-24 Hours;
- ◇ IMD injection plastic control panel : non-distortional;
- ◇ Functions: standard cooking, quick cooking, small quantity cooking, porridge, soup, steam, casserole, cake, re-heating and keep warm .

L	Pot thickness	W
1.8	2.0mm	1300

20GP	40GP	40HQ
652	1368	1570



GALANZ Bread Maker

Provide you with delicious bread
Through accurate control of time

MB15002

Power:540W
Capacity:1.5pound/2pound

Features

- ◇ 18 baking programme : Basic, Sweet, DIY, Whole wheat, Rapid, Super Rapid, Cake, Rice, Jam, Dough, Pasta, Bake, Rice cake, Jelly, Yogurt, Frying, Dried meat floss.
- ◇ IMD panel and LED display
- ◇ 13 hours Preset
- ◇ Keep warm for 1 hour
- ◇ Glass reviewing window on the lid
- ◇ Automatic add ingredients function
- ◇ High efficiency dc motor to mix the flour
- ◇ Accessories:Measuring cup, Measuring Spoon, muddler, Bread barrel, Extracting hook

20GP	40GP	40HQ
816	1476	1732



MB15001E

Power:540W
Capacity:1pound/1.5pound

Features

- ◇ LED (48*26mm)
- ◇ 13 hours pre-set
- ◇ 10-15 minutes power-off protection
- ◇ 60 minutes keep warm function
- ◇ Mask touching panel
- ◇ Glass reviewing window on the lid
- ◇ Zinc plating decorative circle
- ◇ Functions: menu, weight, pre-set, color, 12 programs
- ◇ Accessories: measure cup, measure spoon, muddler, bread barrel, extracting hook
- ◇ Product dimension: 340*240*274 mm

20GP	40GP	40HQ
816	1656	1950

GALANZ Electric Pressure COOKER

Provide you with delicious rice
Through accurate control of time

B1100T-50PH8





B1100T-50PH8

Electric Pressure Cooker


Product specification

- ▶ High-end pressure cooker with elegant design, strong metal feeling
- ▶ Maximum 80kpa air pressure for cooking
- ▶ Totally 8 securities for high pressure cooking
- ▶ Digital procedure control with multi-functions
- ▶ Top cover operating panel, touch control
- ▶ Completely colorful ss housing, high-end appearance
- ▶ Super large IMD, electroplating button for decoration
- ▶ 3.5mm super thick inner pot with non-stick durable coating
- ▶ Many kinds of cooking function: rice, fish, regular cooking chicken cooking, soup, bean, steam, stew, pork ribs, rice vino, and keep warm etc.
- ▶ Big handle for you to carry expediently
- ▶ Special pre-set function: You can cook as you like
- ▶ Steamer, scoop, and measuring cup are included



24 Hours time pre-set, keep nutrition function, easy to use

- ▶ Nutritive keep-warm need 8 hours of low temperature, and then will turn to high temperature process for keeping warm
- ▶ The benefits of nutritive keep-warm:
 - 1:Low temperature part: Keep the moisture of rice and make the rice more tasteful
 - 2:High temperature part: Protect the food form bacteria caused by long hours of keeping warm



B1100T-50PH8

Features

- ◇ Multi-pressure cooker
- ◇ Maximum 80kpa air pressure for cooking
- ◇ Totally 8 securities for high pressure cooking
- ◇ Digital procedure control with multi-function
- ◇ Top cover operating panel, touch control
- ◇ Completely colorful S.S. housing, high-end appearance
- ◇ Super large IMD, electroplating button for decoration
- ◇ Inner pot with non-stick durable coating
- ◇ Many kinds of cooking functions: rice, fish, regular cooking, chicken cooking, soup, bean, steam, stew, pork ribs, rice vino and keep warm etc.
- ◇ Big handle to carry expediently
- ◇ Special pre-set function, cook as you like
- ◇ Scoop and measuring cup are included

L	Pot thickness	W
1.8	3.5mm	1100

20GP	40GP	40HQ
824	1676	1908



B1100T-50PH8D

Features

- ◇ Multi-pressure cooker
- ◇ Maximum 80kpa air pressure for cooking
- ◇ Totally 8 securities for high pressure cooking
- ◇ Digital procedure control with multi-function
- ◇ Top cover operating panel
- ◇ Inner pot with non-stick durable coating
- ◇ Many kinds of cooking functions: rice, fish, regular cooking, chicken cooking, soup, bean, steam, stew, pork ribs, rice vino, and keep warm etc.
- ◇ Big handle to carry expediently
- ◇ Special pre-set function, cook as you like
- ◇ Scoop and measuring cup are included

L	Pot thickness	W
1.8	3.5mm	1100

20GP	40GP	40HQ
824	1676	1908



YFC308

Features

- ◇ Pressure cooker, maximum 1.8 times the air pressure for cooking
- ◇ Digital control with big blue LCD
- ◇ Inner pot with non-stick durable coating
- ◇ Totally 8 securities for high pressure cooking
- ◇ Cooking types: 1.High pressure 2.Low pressure
- ◇ Cooking functions: regular cooking, quick cooking, porridge, steaming, keep warm and re-heating
- ◇ Time pre-set function: 1 min-24 hours
- ◇ Scoop and measuring cup are included

L	Pot thickness	W
1.0	3.2mm	900

20GP	40GP	40HQ
686	1380	1470





GALANZ Induction
COOKER


Provide you with delicious food
Through accurate control of power

CF7000





Different from the heating mode of traditional cookers, Galanz Induction Cooker creates continuous alternating magnetic field while working, direct effect to the bottom of the pot which is made of magnetic material, heating the bottom of the pot rather than the induction cooker itself, only the heat transfer back from the pot can cause temperature rise on the glass surface. Therefore, the thermal efficiency of induction cookers is much higher than traditional cookers.



Precise time setting-cooking is under your control.

After setting precise cooking time, Induction Cooker will auto shut off when time is over, to ensure safety and make cooking under your control.

Pot auto-stop protection

Galanz Induction Cooker can auto-induct to the pot, induction cooker can not start to work without pot or with wrong material & size pot in proper heating area, the indicator light will blink until shut off or placed with correct pot.



CS20X147

Features

- ◆ Power: 3400W
- ◆ Black crystal plate
- ◆ 24 hours timer
- ◆ Touch control
- ◆ 10 power adjustment
- ◆ 10 temperature adjustment
- ◆ Functions: turbo/child lock
- ◆ Auto shut off when overheating or overvoltage




20GP	40GP	40HQ
672	1392	1566

Galanz Induction Cooker--Top 12 Advantages

- Slip sensing technology
- Efficient accurate chips
- Low noise cooling system
- Automobile baking paint technique
- Super wideband technology
- Free firepower adjustment
- Precision power display
- Presetting timer function
- Overheating auto protection
- Imported IGBT
- Energy-gathering large coil
- Waterproof design expert

Galanz Induction Cooker--Working Principle



Induction Cooker



CF7000

Features

- ◆ Power: 7000W
- ◆ Black crystal plate
- ◆ 99 minutes timer
- ◆ Touch control
- ◆ 11 power adjustment
- ◆ 11 temperature adjustment
- ◆ Functions: child lock
- ◆ Auto shut off when overheating or overvoltage



20GP	40GP	40HQ
412	870	1014





CH22520S

Features

- ◇ Power: 2200W
- ◇ Black crystal plate
- ◇ Aluminum alloy handle
- ◇ Aluminum alloy decoration
- ◇ 24 hours timer
- ◇ Touch control
- ◇ 8 power stage adjustment
- ◇ Function: hot pot/steam/stir fry/turbo/congee
- ◇ Auto shut off when overheating or overvoltage

Pre-set	Child lock	Temp level	Touch control	LED
---------	------------	------------	---------------	-----

20GP	40GP	40HQ
1452	2940	3508



CH21200

Features

- ◇ Power: 2100W
- ◇ Black crystal plate
- ◇ 24 hours timer
- ◇ Push button control
- ◇ 6 power stage adjustment
- ◇ Functions: hot pot/steam/stir fry/turbo
- ◇ Auto shut off when overheating or overvoltage

Pre-set	Temp level	Button control	LED
---------	------------	----------------	-----

20GP	40GP	40HQ
1800	3840	4420



CH2022C

Features

- ◇ Power: 2000W
- ◇ Black crystal plate
- ◇ 24 hours timer
- ◇ Touch control
- ◇ 6 power stage adjustment
- ◇ Functions: hot pot/child lock
- ◇ Auto shut off when overheating or overvoltage

Pre-set	Child lock	Temp level	Touch control	LED
---------	------------	------------	---------------	-----

20GP	40GP	40HQ
1220	2500	3000




CH2040A

Features

- ◇ Power: 2000W
- ◇ Black crystal plate
- ◇ 24 hours timer
- ◇ Preset time: 24 hours
- ◇ Push button control
- ◇ 8 power stage adjustment
- ◇ Functions: hot pot/fry/stir fry/turbo/congee
- ◇ Auto shut off when overheating or overvoltage

Pre-set	Temp level	Button control	LED
---------	------------	----------------	-----

20GP	40GP	40HQ
1800	3840	4420



GALANZ Thermos

POT

Provide you with healthier water
Through perfect removal of chlorine and re-boiling

P50P-C009A





P50P-C009A

Thermos Pot

Features

- ▶ Re-heating
- ▶ Two ways water dispensing: electric pump, cup touch
- ▶ Plastic housing/Stainless steel inner pot
- ▶ Re-boiling function
- ▶ Safety lock
- ▶ LCD display with blue back light water gauge
- ▶ Blue light preset function
- ▶ Removable and washable lid
- ▶ Keep warm function(98/85/65/40°C)



Thermos Pot



Four stages temperature for keeping warm, thus ensuring the quality of life

Chlorine removal boiling, beyond perfect

Chlorine removal and re-boiling, thus ensuring sweet and healthful water

A variety of temperature settings, suitable for different temperature requirements

Preset for boiling water

drainage holes



Large screen display, the function be clear at a glance

Dispense

Intelligent child-lock



Ultra wide angle of water window with backlight

Both in front or side can see clearly the water scale



hidden opening lid way

Galanz thermo pots using design of hidden opening mode, more beautiful and practical



Diamond fluorine element for long carbon coating on the tank

Excellent heat effect and heat penetration, suitable for brewing tea, taste strong affinity



LCD screen display

Operation panel with big LCD screen, working condition can be clear at a glance

P40P-C009A

Features

- ◇ 2 ways water dispensing: electric pump, cup touch
- ◇ 4 stages keep warm function (98/85/65/40°C)
- ◇ LCD display with blue backlight water gauge
- ◇ Plastic housing & Stainless steel inner pot
- ◇ Preset function with blue light
- ◇ Re-boiling function
- ◇ Re-heating
- ◇ Safety lock
- ◇ Citric cleaning function
- ◇ Wiping off-chlorine function
- ◇ Removable and washable lid
- ◇ Optional litre: 4.0L, 5.0L

LCD	W	Pre-set	Child lock	Temp level
20GP	800	40GP	40HQ	
822		1670	1822	



P40P-D001L

Features

- ◇ 2 ways water dispensing: electric pump, cup touch
- ◇ 3 stages keep warm function (98/85/65°C)
- ◇ LED display
- ◇ Tinplate housing & Stainless steel inner pot
- ◇ Re-boiling
- ◇ Re-heating
- ◇ Safety lock
- ◇ Removable and washable lid
- ◇ Blue indicator lamp for water gauge
- ◇ Optional litre: 3.3L, 4.0L

LED	W 750	Pre-set	Child lock	Temp level
20GP	40GP	40HQ		
730	1490	1646		



P40P-D001

Features

- ◇ 2 ways water dispensing: electric pump, cup touch
- ◇ Keep warm function
- ◇ LED display
- ◇ Tinplate housing & Stainless steel inner pot
- ◇ Re-boiling
- ◇ Re-heating
- ◇ Safety lock
- ◇ Removable and washable lid
- ◇ Blue indicator lamp for water gauge

LED	W 750	Pre-set	Child lock	Temp level
20GP	40GP	40HQ		
808	1616	1832		



P40P-D001T

Features

- ◇ 2 ways water dispensing: electric pump, cup touch
- ◇ Keep warm function
- ◇ LED display
- ◇ Tinplate housing & Stainless steel inner pot
- ◇ Re-boiling
- ◇ Re-heating
- ◇ Removable and washable lid
- ◇ Blue indicator lamp for water gauge

LED	W 750	Pre-set	Temp level
20GP	40GP	40HQ	
808	1616	1832	



Material of inner pot : SUS304



High Quality, International Certification

